



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Friday, October 25, 2024 Time of Issue: 0900 hours IST (MORNING)

All India Impact Based Weather Warning Bulletin

Weather Warnings for next 7 days is given below: (Graphics for warnings & rainfall distribution (Table 1) are given below the text:

25 October (Day 1):

- ❖ Heavy to very heavy rainfall with extremely heavy falls (≥ 20 cm) very likely at isolated places over Odisha, Gangetic West Bengal; Heavy to very heavy rainfall (≥ 12 cm) likely at isolated places over Jharkhand, Kerala & Mahe; Heavy rainfall (≥7cm) likely at isolated places over northeast Bihar, Tamil Nadu, Puducherry & Karaikal.
- Thunderstorm accompanied with lightning very likely at isolated places over Chhattisgarh, Sub-Himalayan West Bengal & Sikkim, Bihar, Jharkhand, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Lakshadweep, Coastal Andhra Pradesh & Yanam, Rayalaseema, South Interior Karnataka.
- ❖ Gale wind speed reaching 100-110 kmph gusting to 80 kmph gusting to 120 kmph along & off north Odisha and east Medinipur district of West Bengal. Gale wind speed reaching 60-80 kmph gusting to 90 kmph is likely along & off south Odisha and remaining districts of coastal West Bengal. Squally wind speed reaching 50-60 kmph gusting to 70 kmph is likely to prevail over adjoining areas of northeast Bay of Bengal. Squally wind speed reaching 40-50 gusting to 60 kmph is very likely to prevail over South Jharkhand.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevail along and off Kerala coast and over Lakshadweep area.

26 October (Day 2):

- ❖ Heavy rainfall (≥7cm) very likely at isolated places over Gangetic West Bengal, Jharkhand, Odisha, Kerala & Mahe.
- ❖ Thunderstorm accompanied with lightning very likely at isolated places over Vidarbha, Chhattisgarh, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Coastal Andhra Pradesh & Yanam.
- **❖ Squally wind speed reaching 40-50 gusting to 60** kmph is very likely to prevail over South Jharkhand.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

27	O	rto	ber ((Day	7 31	١.
_,	v		DCI	Da	, ,	,.

- **❖ Heavy rainfall (≥7cm)** very likely at isolated places over Kerala & Mahe.
- **❖ Thunderstorm accompanied with lightning** very likely at isolated places over East Madhya Pradesh, Vidarbha, Chhattisgarh.

28 October (Day 4):

Thunderstorm accompanied with lightning likely at isolated places over East Madhya Pradesh, Chhattisgarh.

29 October (Day 5):

❖ No weather warning.


30 October (Day 6):


❖ No weather warning.


31 October (Day 7):

No weather warning.














National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



- Action may be taken based on ORANGE AND RED COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Table-1

	Table	<u>·1</u>						
	7 Days Rai	nfall Fo	recast					
•		25-	26-	27-	28-	29-	30-	31-
S.	Subdivision	Oct	Oct	Oct	Oct	Oct	Oct	Oct
No.		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	FWS	FWS	FWS	FWS	FWS	FWS
2	ARUNACHAL PRADESH	WS	WS	WS	FWS	FWS	FWS	FWS
3	ASSAM & MEGHALAYA	FWS	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
4	NAGALAND, MANIPUR, MIZORAM & TRIPURA	FWS	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	SCT	ISOL	ISOL	ISOL	ISOL	SCT	SCT
6	GANGETIC WEST BENGAL	WS	FWS	SCT	ISOL	ISOL	ISOL	ISOL
7	ODISHA	WS	FWS	SCT	ISOL	ISOL	ISOL	ISOL
8	JHARKHAND	WS	FWS	SCT	ISOL	DRY	DRY	DRY
9	BIHAR	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
10	EAST UTTAR PRADESH	ISOL	DRY	DRY	ISOL	ISOL	ISOL	ISOL
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13	HARYANA CHANDIGARH & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
16	JAMMU & KASHMIR AND LADAKH	DRY	DRY	DRY	DRY	ISOL	ISOL	ISOL
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
20	EAST MADHYA PRADESH	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
21	GUJARAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
24	MADHYA MAHARASHTRA	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
25	MARATHAWADA	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
26	VIDARBHA	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
27	CHHATTISGARH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
28	COASTAL ANDHRA PRADESH & YANAM	SCT	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
29	TELANGANA	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
30	RAYALASEEMA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
31	TAMILNADU PUDUCHERRY & KARAIKAL	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
32	COASTAL KARNATAKA	ISOL	DRY	DRY	SCT	SCT	SCT	SCT
33	NORTH INTERIOR KARNATAKA	DRY	DRY	ISOL	ISOL	SCT	FWS	FWS
34	SOUTH INTERIOR KARNATAKA	SCT	ISOL	ISOL	ISOL	SCT	SCT	SCT
35	KERALA & MAHE	WS	FWS	FWS	SCT	SCT	SCT	SCT
36	LAKSHADWEEP	WS	FWS	FWS	SCT	SCT	SCT	SCT

• As the lead period increases forecast accuracy decreases.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact due to

- ✓ **Isolated extremely heavy rainfall** very likely over Odisha, Gangetic West Bengal on 25th October.
- ✓ **Isolated heavy to very heavy rainfall** very likely over Kerala & Mahe & Jharkhand on 25th October.
- ✓ **Moderate flash flood** risk likely over few watersheds & neighbourhoods of Odisha, Gangetic West Bengal on 25th & 26th October. (Annexure I)

Impact Expected

- ✓ Major damage to thatched houses/ huts. Roof tops may blow off. Unattached metal sheets may fly.
- ✓ Minor damage to power and communication lines.
- ✓ Major damage to Kutcha and some damage to Pucca roads. Flooding of escape routes.
- ✓ Possibilities of damage to vulnerable structure. Breaking of tree branches and uprooting of trees.
- ✓ Moderate damage to banana and papaya trees. Large dead limbs blown from trees.
- ✓ Damage to horticulture and standing crops in some areas due to inundation and wind.
- ✓ Damage to embankments/ salt pans.
- ✓ Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- ✓ Occasional reduction in visibility due to heavy rainfall.
- ✓ Disruption of traffic in major cities and roadways due to water logging in roads and poor visibility due to heavy rain leading to increased travel time and incidents
- ✓ Localized Landslides/Mudslides/landslips/mud slips/land sinks/mud sinks.
- ✓ Likely disruption of marine and inland water transportation like small boats and trawlers.
- ✓ It may lead to riverine flooding in some river catchments (for riverine flooding please visit Webpage of Central Water Commission)

Action Suggested

- ❖ For districts of Odisha (Baleswar, Bhadrak, Kendrapara, Jajpur, Jagatsinghpur, Puri, Khorda, Mayurbhanj, Kendujhar, Cuttack, Dhenkanal) and West Bengal (South & North 24 Parganas, East & West Medinipur, Jhargram, Howrah, Hooghly, Kolkata & Bankura)
- ✓ Total suspension of fishing operations on 25th Oct over Central and North Bay of Bengal.
- ✓ Fishermen are advised not to venture into :
- ✓ Northwest and adjoining northeast Bay of Bengal and along & off Odisha, West Bengal and Bangladesh coasts on 25th October morning.
- ✓ Movement in motor boats unsafe.
- ✓ Coastal hutment dwellers to be moved to safer places.
- ✓ People in affected areas to remain indoors.
- ✓ Judicious regulation of onshore/offshore, Port and maritime activities including shipping.
- ✓ Judicious regulation of tourism activities in coastal areas.
- ✓ Judicious regulation of surface transports including railways and roadways.
- ✓ Check for traffic congestion on your route before leaving for your destination.
- ✓ Follow any traffic advisories that are issued in this regard.
- ✓ Avoid going to areas that face the water logging problems often.
- ✓ Avoid staying in vulnerable structure.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Agromet advisories in view of Severe Cyclonic storm "DANA" over northwest Bay of Bengal (Cyclone Warning for Odisha and West Bengal coasts)

- ✓ Immediately shift the harvested produce to safer places.
- ✓ In **Odisha**, Postpone harvesting of rice, maize, black gram, green gram, groundnut, vegetables and fruits till the cessation of rains. Withhold sowing of pre-rabi pulses and winter vegetables. Provide propping in sugarcane by tying leaves from four to five plants together to prevent their lodging.
- ✓ In **Gangetic West Bengal**, drain out excess water from Aman rice, groundnut, pulses and vegetables. Postpone harvesting of kharif rice, vegetables, and fruits till the cessation of rains.
- ✓ In **Andaman & Nicobar Islands**, collect and safely dispose of fallen fruits and vegetables to prevent the spread of fungal diseases. Collect fallen coconuts and transport them to the market as soon as possible. For harvested rice, ensure proper sun-drying when the weather conditions are clear to minimize moisture retention and reduce the risk of mould or spoilage.
- ✓ Make arrangements for adequate drainage to avoid water logging in crop fields.
- ✓ Provide mechanical support to young fruit plants and staking in vegetables to prevent their lodging.

Agromet advisories for Heavy Rainfall likely over various parts of the country

- ✓ In **Tamil Nadu**, drain out excess water from rice nurseries and fields of rice, maize, pepper and newly planted turmeric. Undertake detrashing and propping of more than five-months-old sugarcane to avoid lodging. Provide support to banana plantations.
- ✓ Make necessary arrangements to drain out excess water from standing crop fields and fruit orchards to avoid water stagnation in Kerala, South Interior Karnataka, Assam, Meghalaya and Nagaland.
- ✓ Keep the harvested produce at safer places.
- ✓ Provide mechanical support to horticultural crops & staking to vegetables.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Flash Flood Risk: Annexure I


24 hours Outlook for the Flash Flood Risk (FFR) till 0530 IST of 26-10-2024:

Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Odisha - Baleshwar, Bhadrak, Kendraparha and Mayurbhanj districts.

Gangetic West Bengal - Bankura, Bardaman, Eastmednipur, Haora, Hugli, Nadia, North 24 Pragana, Puruliya, Pashchim Medinipur and South 24 Parganas districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over AoC as shown in map due to expected rainfall occurrence in next 24 hours.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Legends & abbreviations:

- **♦ Heavy Rain:**64.5-115.5mm; **Very Heavy Rain:**115.6-204.4mm; **Extremely Heavy Rain:** >204.4mm.
- ❖ Obsy.: Observatory; AWS: Automatic Weather Station; ARG: Automatic Rain Gauge; dist.: District: NH: National Highway; KVK: Krishi Vigyan Kendra; DVC: Damodar Valley Corporation; PTO: Part Time Office, Aero: Aerodrome, IAF: Indian Air Force.
- **Region wise classification of meteorological Sub-Divisions:**
- ✓ **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- ✓ **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- ✓ **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- ✓ Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- ✓ West India: Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.
- ✓ **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)
			COLOUR CODED WARNING





(DEFINITION/CRITERIA)
Heavy: 64.5 to 115.5 mm/cm *
Very Heavy: 115.6 to 204.4 mm/cm*
Extremely Heavy: > 204.4 mm/cm *
When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions
(a) Based on Departure from normal
Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C. Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
(b). Based on Actual maximum temperature
Heat Wave: When actual maximum temperature ≥45°C.
Severe Heat Wave: When actual maximum temperature ≥47°C
(c). Criteria for heat wave for coastal stations
When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
Section Description (Control of Control of C
When maximum temperature remains 40°C Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
Severe Warm Night: When minimum temperature departure >6.4 °C.
When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.
(a). Based on departure
Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
(b) Based on actual Minimum Temperature (for Plains only)
Cold Wave : When Minimum Temperature is ≤ 4.0 °C
Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
(c) For Coastal Stations When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
When will influent temperature departure is 2-4.5 °C α actual will influent temperature is 2-15 °C
When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
Based on departure Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
Cotto Cota Day. Maximum foriporatare Departare from formal 2 c.o C
Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
Moderate Fog: When the visibility between 500-200 metres
Dense Fog: when the visibility between 50- 200 metres Very Dense Fog: when the visibility < 50 metres
13. Police 1 eg. Wilding 1 co modes
Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
An ensemble of particles of dust or sand energetically lifted to great heights by a strong and
An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
turbulent wind.
turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains)
lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute.
lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph
lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute.
lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph
lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area
lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area
lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)