



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Friday, November 22, 2024 Time of Issue: 1930 hours IST (NIGHT)

All India Impact Based Weather Warning Bulletin

Weather Warnings for next 7 days is given below: (Graphics for warnings & rainfall distribution (Table 1) are given below the text:

22 November (Day 1):

- **♦ Heavy rainfall (≥ 7 cm)** very likely at isolated places over Andaman & Nicobar Islands.
- ❖ **Dense fog** very likely in isolated pockets of Punjab and Haryana-Chandigarh in night/morning hours.
- ❖ Thunderstorm accompanied with hailstorm very likely at isolated places over Nagaland, Manipur, Mizoram & Tripura.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevailing over southern parts of southeast Bay of Bengal, South Andman sea, Comorin area and Gulf of Mannar

23 November (Day 2):

- **♦ Heavy rainfall (≥ 7 cm)** very likely at isolated places over Andaman & Nicobar Islands.
- ❖ **Dense fog** very likely in isolated pockets of Himachal Pradesh, Uttarakhand, Punjab and Haryana-Chandigarh-Delhi in night/morning hours.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevailing over many parts of southeast Bay of Bengal, south Andaman sea and adjoining North Andaman Sea.

24 November (Day 3):

- **♦ Heavy rainfall (≥ 7 cm)** very likely at isolated places over Andaman & Nicobar Islands.
- **Dense fog** very likely in isolated pockets of Himachal Pradesh in night/morning hours.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevailing over most parts of southeast Bay of Bengal and adjoining parts of southwest Bay of Bengal, Andman sea. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph is likely to prevailing over many parts of southeast Bay of Bengal and adjoining parts of southwest Bay of Bengal.



25 November (Day 4):

- ❖ Heavy rainfall (≥ 7 cm) likely at isolated places over Andaman & Nicobar Islands and Tamil Nadu, Puducherry & Karaikal.
- **Dense fog** likely in isolated pockets of Himachal Pradesh in night/morning hours.
- **❖ Thunderstorm accompanied with lightning** likely at isolated places over Coastal Andhra Pradesh & Yanam.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevailing over gulf of Mannar and adjoining Comorin area, over most parts of southwest Bay of Bengal and adjoining parts of southeast Bay of Bengal, off silence Coast and Andaman Sea. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph is likely to prevailing over central parts of south Bay of Bengal.

26 November (Day 5):

- ❖ Heavy to very Heavy rainfall (≥ 12 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal; Heavy rainfall (≥ 7 cm) likely at isolated places over Kerala & Mahe, Coastal Andhra Pradesh & Yanam and Rayalaseema.
- **❖ Thunderstorm accompanied with lightning** likely at isolated places over Kerala & Mahe and Coastal Andhra Pradesh & Yanam.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevailing along and off south Kerala coast, over Gulf of Mannar and adjoining Comorin Area, over most parts of southwest Bay of Bengal and adjoining parts of southeast and west central Bay of Bengal, along and off silence coast, off Tamil Nadu coast, over Andaman Sea. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph is likely to prevailing over many parts of southwest Bay of Bengal and adjoining parts of southeast Bay of Bengal.

27 November (Day 6):


★ Heavy to very Heavy rainfall (≥ 12 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal; Heavy rainfall (≥ 7 cm) likely at isolated places over Kerala & Mahe, Coastal Andhra Pradesh & Yanam and Rayalaseema.


28 November (Day 7):


❖ Heavy to very Heavy rainfall (≥ 12 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe; Heavy rainfall (≥ 7 cm) likely at isolated places over Coastal Andhra Pradesh & Yanam and Rayalaseema.
















National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



- Action may be taken based on ORANGE AND RED COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



Table-1

	7 Days Rainfall Forecast							
		22-	23-	24-	25-	26-	27-	28-
S.	Subdivision	Nov						
No.	Subdivision	Day						
		1	2	3	4	5	6	7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	WS	WS	WS	FWS
2	ARUNACHAL PRADESH	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
3	ASSAM & MEGHALAYA	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
4	NAGALAND, MANIPUR, MIZORAM &							
	TRIPURA	SCT	ISOL	DRY	DRY	DRY	DRY	DRY
5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	DRY						
7	ODISHA	DRY	DRY	DRY	DRY	DRY	ISOL	ISOL
8	JHARKHAND	DRY						
9	BIHAR	DRY						
10	EAST UTTAR PRADESH	DRY						
11	WEST UTTAR PRADESH	DRY						
12	UTTARAKHAND	DRY						
13	HARYANA CHANDIGARH & DELHI	DRY						
14	PUNJAB	DRY						
15	HIMACHAL PRADESH	DRY	ISOL	DRY	DRY	DRY	DRY	DRY
16	JAMMU & KASHMIR AND LADAKH	ISOL	FWS	ISOL	DRY	DRY	DRY	DRY
17	WEST RAJASTHAN	DRY						
18	EAST RAJASTHAN	DRY						
19	WEST MADHYA PRADESH	DRY						
20	EAST MADHYA PRADESH	DRY						
21	GUJARAT REGION	DRY						
22	SAURASHTRA & KUTCH	DRY						
23	KONKAN & GOA	DRY						
24	MADHYA MAHARASHTRA	DRY						
25	MARATHAWADA	DRY						
26	VIDARBHA	DRY						
27	CHHATTISGARH	DRY						
28	COASTAL ANDHRA PRADESH & YANAM	DRY	DRY	DRY	DRY	ISOL	ISOL	ISOL
29	TELANGANA	DRY						
30	RAYALASEEMA	DRY	DRY	DRY	ISOL	SCT	SCT	SCT
31	TAMILNADU PUDUCHERRY & KARAIKAL	ISOL	ISOL	ISOL	SCT	FWS	FWS	FWS
32	COASTAL KARNATAKA	DRY						
33	NORTH INTERIOR KARNATAKA	DRY						
34	SOUTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	ISOL	SCT	SCT
35	KERALA & MAHE	ISOL	ISOL	ISOL	SCT	FWS	WS	WS
36	LAKSHADWEEP	SCT	SCT	SCT	SCT	SCT	FWS	FWS

• As the lead period increases forecast accuracy decreases.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact & Action Suggested due to very heavy rainfall over Tamil Nadu, Puducherry & Karaikal during 26th 28th; Kerala & Mahe on 28th November 2024.

A. Impact Expected

- ❖ Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- ❖ Occasional reduction in visibility due to heavy rainfall.
- ❖ Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- ❖ Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides
- ❖ Damage to horticulture and standing crops in some areas due to inundation.
- ❖ It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

B. Action Suggested

- ❖ Check for traffic congestion on your route before leaving for your destination.
- ❖ Follow any traffic advisories that are issued in this regard.
- ❖ Avoid going to areas that face the water logging problems often.
- ❖ Avoid staying in vulnerable structure.

Impact expected due to dense/ very dense fog in the late night /morning hours over parts of Northwest India during next 4-5 days.

Transport and Aviation:

- May affect some airports, highways and railway routes in the areas of met-sub-division.
- Difficult driving conditions with slower journey times.
- Unless taken precautionary measures, it may lead to some road traffic collisions.

❖ Power Sector:

• Chances of Tripping of Power lines in the very dense fog routes.

❖ Human Health:

- Lung related health impacts: Dense fog contains particulate matter and other pollutants and in case exposed it gets lodged in the lungs, clogging them and decreasing their functional capacity which increases episodes of wheezing, coughing and shortness of breath.
- Impact on people having asthma bronchitis: Long time exposure to dense fog may cause respiratory problem for people having asthma bronchitis and other lung related health problems.
- Eye Irritation: Dense fog contains pollutions of various types and these Pollutants in the air if exposed may tend to irritate the membranes of the eye causing various infections leading to redness or swelling of the eye.

Action suggested:

- **❖** Transport and Aviation:
 - Be careful while driving or outing through any transport.
 - Use fog lights during driving.
 - Be in touch with airlines, railways and state transport for schedule of your journey.

❖ Power Sector:

- To keep ready Maintenance Team
- Human Health: To avoid outing until unless emergency and to cover the face.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Agromet advisories for Heavy Rainfall likely over Andaman & Nicobar Islands and Meghalaya:

- ➤ In **Andaman & Nicobar Islands**, shift the harvested produce of rice, coconut and arecanut in safe place. In transplanted vegetable fields, keep the bunds open and provide drainage facilities.
- ➤ In **Meghalaya**, use hail nets or hail caps in fruit orchards to protect them from mechanical damage. Provide staking to vegetables and mechanical support to horticultural crops


Legends & abbreviations:

- **Heavy Rain:**64.5-115.5mm; **Very Heavy Rain:**115.6-204.4mm; **Extremely Heavy Rain:** >204.4mm.
- ❖ Obsy.: Observatory; AWS: Automatic Weather Station; ARG: Automatic Rain Gauge; dist.: District: NH: National Highway; KVK: Krishi Vigyan Kendra; DVC: Damodar Valley Corporation; PTO: Part Time Office, Aero: Aerodrome, IAF: Indian Air Force.
- **Region wise classification of meteorological Sub-Divisions:**
- ✓ **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- ✓ **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- ✓ **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- ✓ **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- ✓ **West India:** Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.
- ✓ **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

LEGENDS



% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)
= 507	Heavy Snow	_ Cold Wa	ve COLOUR CODED WARNING



	DEFINITION/CRITERIA
*	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm*
Rain/ Snow *	Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions
	(a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C. Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
Warm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions. (a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C. Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	
	(b) Based on actual Minimum Temperature (for Plains only) Cold Wave : When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	(c) For Coastal Stations
	When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
0-14 B	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
Fog	Moderate Fog: When the visibility between 500-200 metres
9	Dense Fog: when the visibility between 50- 200 metres Very Dense Fog: when the visibility < 50 metres
Thunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
	Ice deposits on ground
Frost	Air temperature ≤4°C (over Plains)
Frost	Air temperature ≤4°C (over Plains)
Frost	Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute.
	Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph
	Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph
Squall	Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
	A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
Squall	Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Squall	A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
Squall Sea State	A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Squall	A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)