



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Friday, November 22, 2024 Time of Issue: 0730 hours IST (MORNING)

## All India Impact Based Weather Warning Bulletin

Weather Warnings for next 7 days is given below: (Graphics for warnings & rainfall distribution (Table 1) are given below the text:

## 22 November (Day 1):

- **♦ Heavy rainfall (≥ 7 cm)** very likely at isolated places over Nicobar Islands.
- ❖ **Dense fog** very likely in isolated pockets of Punjab and Haryana-Chandigarh in night/morning hours.
- ❖ Thunderstorm accompanied with hailstorm very likely at isolated places over Meghalaya; with lightning at isolated places over Nagaland, Manipur, Mizoram & Tripura.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevailing over southern parts of southeast Bay of Bengal, south Andaman sea. Fishermen are advised not to venture into these areas.

## 23 November (Day 2):

- $\Leftrightarrow$  **Heavy rainfall** ( $\geq$  7 cm) very likely at isolated places over Nicobar Islands.
- ❖ **Dense fog** very likely in isolated pockets of Himachal Pradesh, Punjab and Haryana-Chandigarh in night/morning hours.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevailing over southern parts of southeast Bay of Bengal, Andaman sea. Fishermen are advised not to venture into these areas.

## 24 November (Day 3):

- **♦ Heavy rainfall (≥ 7 cm)** likely at isolated places over Nicobar Islands.
- ❖ **Dense fog** likely in isolated pockets of Himachal Pradesh in night/morning hours.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevailing over most parts of southeast Bay of Bengal and adjoining parts of southwest Bay of Bengal, Andaman sea. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph is likely to prevailing over many parts of southeast Bay of Bengal & adjoining parts of southwest Bay of Bengal. Fishermen are advised not to venture into these areas.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

## 25 November (Day 4):

- **♦ Heavy rainfall (≥ 7 cm)** likely at isolated places over Tamil Nadu, Puducherry & Karaikal.
- **Dense fog** likely in isolated pockets of Himachal Pradesh in night/morning hours.
- **Thunderstorm accompanied with lightning** likely at isolated places over Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevailing over gulf of Mannar and adjoining Comorin area, over most parts of southwest Bay of Bengal and adjoining parts of southeast Bay of Bengal, Andaman Sea. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph is likely to prevailing over many parts of southwest Bay of Bengal & adjoining parts of southeast Bay of Bengal. Fishermen are advised not to venture into these areas.

## 26 November (Day 5):

❖ Heavy to very Heavy rainfall (≥ 12 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal and Coastal Andhra Pradesh; Heavy rainfall (≥ 7 cm) likely at isolated places over Kerala & Mahe and Rayalaseema.

## 27 November (Day 6):


❖ Heavy to very Heavy rainfall (≥ 12 cm) likely at isolated places over Coastal Andhra Pradesh & Yanam; Heavy rainfall (≥ 7 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal, Rayalaseema and Kerala & Mahe.


## 28 November (Day 7):


❖ Heavy to very Heavy rainfall (≥ 12 cm) likely at isolated places over Coastal Andhra Pradesh & Yanam; Heavy rainfall (≥ 7 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal, Rayalaseema and Kerala & Mahe.
















#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



- Action may be taken based on ORANGE AND RED COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Table-1

	7 Days Ra	infall F	orecas	t				
_		22-	23-	24-	25-	26-	27-	28-
S.	Subdivision	Nov	Nov	Nov	Nov	Nov	Nov	Nov
No.		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	WS	FWS	FWS	FWS
2	ARUNACHAL PRADESH	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
3	ASSAM & MEGHALAYA	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
4	NAGALAND, MANIPUR, MIZORAM & TRIPURA	SCT	ISOL	ISOL	DRY	DRY	DRY	DRY
5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	DRY	DRY	DRY	DRY	DRY	DRY	DRY
7	ODISHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
8	JHARKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9	BIHAR	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13	HARYANA CHANDIGARH & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	DRY	ISOL	DRY	DRY	DRY	DRY	DRY
16	JAMMU & KASHMIR AND LADAKH	ISOL	FWS	ISOL	DRY	DRY	DRY	DRY
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
21	GUJARAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
25	MARATHAWADA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
26	VIDARBHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
27	CHHATTISGARH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
28	COASTAL ANDHRA PRADESH & YANAM	DRY	DRY	ISOL	ISOL	SCT	SCT	SCT
29	TELANGANA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
30	RAYALASEEMA	DRY	DRY	ISOL	ISOL	SCT	SCT	SCT
31	TAMILNADU PUDUCHERRY & KARAIKAL	ISOL	ISOL	ISOL	ISOL	FWS	FWS	FWS
32	COASTAL KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
33	NORTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	ISOL	ISOL
35	KERALA & MAHE	SCT	ISOL	ISOL	SCT	FWS	WS	WS
36	LAKSHADWEEP	SCT	SCT	SCT	SCT	FWS	FWS	FWS

• As the lead period increases forecast accuracy decreases.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact & Action Suggested due to very heavy rainfall over Tamil Nadu, Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam on 26th; Coastal Andhra Pradesh & Yanam on 26th & 27th November, 2024.

#### A. Impact Expected

- ❖ Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- ❖ Localized Landslides/Mudslides
- ❖ Damage to horticulture and standing crops in some areas due to inundation.
- ❖ It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

## **B.** Action Suggested

- ❖ Check for traffic congestion on your route before leaving for your destination.
- ❖ Follow any traffic advisories that are issued in this regard.
- ❖ Avoid going to areas that face the water logging problems often.
- ❖ Avoid staying in vulnerable structure.

Impact expected due to dense/ very dense fog in the late night /morning hours over parts of Northwest India during next 4-5 days.

## Transport and Aviation:

- May affect some airports, highways and railway routes in the areas of met-sub-division.
- Difficult driving conditions with slower journey times.
- Unless taken precautionary measures, it may lead to some road traffic collisions.

## ❖ Power Sector:

• Chances of Tripping of Power lines in the very dense fog routes.

#### ❖ Human Health:

- Lung related health impacts: Dense fog contains particulate matter and other pollutants and in case exposed it gets lodged in the lungs, clogging them and decreasing their functional capacity which increases episodes of wheezing, coughing and shortness of breath.
- Impact on people having asthma bronchitis: Long time exposure to dense fog may cause respiratory problem for people having asthma bronchitis and other lung related health problems.
- Eye Irritation: Dense fog contains pollutions of various types and these Pollutants in the air if exposed may tend to irritate the membranes of the eye causing various infections leading to redness or swelling of the eye.

#### **Action suggested:**

- ❖ Transport and Aviation:
  - Be careful while driving or outing through any transport.
  - Use fog lights during driving.
  - Be in touch with airlines, railways and state transport for schedule of your journey.

#### ❖ Power Sector:

- To keep ready Maintenance Team
- Human Health: To avoid outing until unless emergency and to cover the face.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

# Agromet advisories for Heavy Rainfall likely over Tamil Nadu, Kerala, Andaman & Nicobar Islands, Meghalaya and Manipur:

- ✓ In **Tamil Nadu**, drain out excess water from rice, cotton, sugarcane, turmeric and vegetable fields, coconut and banana orchards. Undertake propping in sugarcane. Provide mechanical support to banana plants to prevent lodging.
- ✓ In **Kerala**, provide proper drainage in rice, ginger and vegetable fields. Provide mechanical support to banana plants and strengthen the vegetable pandals.
- ✓ In **Andaman & Nicobar Islands**, shift the harvested produce of rice, coconut and Areca Nut in safe place. In transplanted vegetable fields, keep the bunds open and provide drainage facilities.
- ✓ In **Meghalaya** and **Manipur**, use hail nets or hail caps in fruit orchards to protect them from mechanical damage. Provide staking to vegetables and mechanical support to horticultural crops.


## **Legends & abbreviations:**

- **♦ Heavy Rain:**64.5-115.5mm; **Very Heavy Rain:**115.6-204.4mm; **Extremely Heavy Rain:** >204.4mm.
- ❖ Obsy.: Observatory; AWS: Automatic Weather Station; ARG: Automatic Rain Gauge; dist.: District: NH: National Highway; KVK: Krishi Vigyan Kendra; DVC: Damodar Valley Corporation; PTO: Part Time Office, Aero: Aerodrome, IAF: Indian Air Force.
- **Region wise classification of meteorological Sub-Divisions:**
- ✓ **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- ✓ **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- ✓ **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- ✓ **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- ✓ **West India:** Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.
- ✓ **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

## **LEGENDS**



% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)
<b>=</b> 507	Heavy Snow	_ Cold Wa	ve COLOUR CODED WARNING



*	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm*
Rain/ Snow *	Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions
	(a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C.  Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum
	temperature ≥37°C
	When maximum temperature remains 40°C
Warm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions. (a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Cold Wave	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C  Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	(c) For Coastal Stations
	When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
	Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
E	Moderate Fog: When the visibility between 500-200 metres
Fog	Dense Fog: when the visibility between 50- 200 metres
	Very Dense Fog: when the visibility < 50 metres
Γhunderstorm <b>Control</b>	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Thunderstorm  Dust/Sand Storm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)  An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and
Dust/Sand	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea over specific area  Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre  High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea over specific area  Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea over specific area  Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre  High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.    Ice deposits on ground
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.    Comparison of the compa