



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Monday, March 17, 2025 Time of Issue: 2000 hours IST (NIGHT)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features:

i. Weather Systems, Forecast and Warnings:

- ❖ A **Cyclonic Circulation** lies over northeast Assam and neighbourhood in lower tropospheric levels. Under its influence;
 - ✓ **Scattered to Fairly widespread light/moderate rainfall/snowfall** accompanied with **thunderstorm, lightning & gusty winds (speed 30-40 kmph) likely** over Arunachal Pradesh during next 7 days with Isolated **heavy rainfall/snowfall** on 17th March.
 - ✓ **Isolated to Scattered** light/moderate rainfall accompanied with **thunderstorm**, **lightning & gusty winds (speed 30-50 kmph)** likely over Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during next 7days.
- ❖ A trough runs from north Chhattisgarh to Vidarbha in lower tropospheric levels. Under its influence, Isolated to Scattered light/moderate rainfall accompanied with thunderstorm, lightning & gusty winds (speed 30-50 kmph) likely over West Bengal, Sikkim, Bihar, Jharkhand and Odisha today. **Isolated hailstorms also likely over Gangetic West Bengal today.**
- ❖ Due to trough and wind confluence over East India in lower tropospheric levels, scattered to fairly widespread rainfall accompanied with Thunderstorm, lightning and gusty winds likely over east central India during 19th -23rd with peak activity on 20th & 21st March. Isolated hailstorms also likely over Gangetic West Bengal, Jharkhand and Odisha on 20th & 21st March.

Temperature Forecast:

Forecast of temperature:

Maximum temperature:

- ❖ Gradual rise in maximum temperatures by about 3-5°C likely over Northwest India during next 4-5 days
- No significant change in maximum temperatures likely over East India during next 3 days and fall by 2-4°C during subsequent 2 days.
- * No significant change in maximum temperatures likely over rest parts of India during next 3-4 days.


Heat wave and Hot & Humid weather warning:

- **\(\frac{\lpha}{\text{Heat wave to Severe heat wave conditions}}\)** likely to continue at isolated pockets over interior Odisha on 17th March and heat wave conditions at isolated pockets during subsequent 2 days.
- ♦ Hot & humid conditions very likely to prevail in isolated pockets over coastal areas of Gujarat during next 5 days; over Konkan & Goa on 17th & 18th March and over north interior Karnataka during 17th-19th March.



National Weather Forecasting Centre **India Meteorological Department Ministry of Earth Sciences**

Main Weather Observations:




- ❖ Significant amount of rainfall (from 0830 hours IST to 1730 hours IST of today) (in cm): Kerala: Punalur 2, **Tamil Nadu:** Coimbatore 1; **Lakshadweep:** Agathi 1.
- **Today, Heat wave to severe heat wave realised in north interior Odisha.**
- **❖ Minimum Temperature Departures (as on 17-03-2025):** Minimum temperatures are **markedly above normal (5.1°C or more)** at isolated places over Bihar; **appreciably above normal (3.1°C to 5.0°C)** at a few places over Nagaland, Manipur, Mizoram & Tripura and Iharkhand; at isolated places over Chhattisgarh, Odisha, Madhya Maharashtra, Gangetic West Bengal and Assam & Meghalaya; above normal (1.6°C to 3.0°C) at many places over Tamil Nadu, Puducherry & Karaikal and Andaman & Nicobar Islands; at a few places over East Madhya Pradesh, Gujarat state and Kerala & Mahe; at isolated places over Arunachal Pradesh, Rayalaseema, South Interior Karnataka, Marathwada and Vidarbha. These are appreciably below normal (-5.0°C to -3.1°C) at isolated places over west Rajasthan and Himachal Pradesh; below normal (-3.0°C to -1.6°C) at a few places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad; at isolated places over Punjab, Haryana, Uttarakhand, east Rajasthan, Telangana and near normal over rest parts of the country (Fig. 4). Today, the lowest minimum temperature of 9.8°C is reported at Adampur (Punjab) over the plains of the country.
- **❖ Maximum Temperature Departures (as on 17-03-2025)**: Maximum temperatures are **markedly above** normal (5.1°C or more) at isolated places over Sub-Himalayan West Bengal & Sikkim; appreciably above normal (3.1°C to 5.0°C) at isolated places over Bihar, Odisha; above normal (1.6°C to 3.0°C) at a few places Assam & Meghalaya, Chhattisgarh, Telangana, Vidarbha, Konkan & Goa, North Interior Karnataka, Rayalaseema; at isolated places over Saurashtra & Kutch, East Uttar Pradesh, Jharkhand, Nagaland, Manipur, Mizoram & Tripura, Madhya Maharashtra. These are markedly below normal (-5.1°C or less) at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Uttarakhand; below normal (-3.0°C to -1.6°C) at many places over Rajasthan; at isolated places over Himachal Pradesh, Haryana-Chandigarh-Delhi, West Uttar Pradesh, Madhya Pradesh and near normal over rest parts of the country. (Fig. 2). Today, the highest maximum temperature of 43.5°C is reported at Boudh (Odisha) over the country.






National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 1730 hours IST)





Weather Forecast & Warnings for next 7 days (Upto 0830 hours IST of 24th March, 2025)







17th March (Day 1):

- **❖ Heavy rainfall (≥7 cm)** at isolated places over Arunachal Pradesh.
- ❖ Thunderstorm accompanied with gusty winds (speed reaching 40-50 kmph) & lightning very likely at Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura; with gusty winds (speed reaching 30-40 kmph) & lightning at isolated places over Kerala & Mahe; with gusty winds (speed reaching 30-40 kmph) & lightning with Hailstorm & lightning at isolated places over Gangetic West Bengal; with lightning at isolated places over East Uttar Pradesh, East Madhya Pradesh, north Chhattisgarh, Sub-Himalayan West Bengal & Sikkim, Bihar, Jharkhand, Odisha, Arunachal Pradesh, Tamil Nadu, Puducherry & Karaikal, Coastal & South Interior Karnataka and Lakshadweep.
- *** Heat wave to Severe Heat Wave condition** very likely at isolated places over Odisha.
- ❖ Hot and Humid Conditions likely at isolated places over coastal Gujarat, Konkan & Goa and North Interior Karnataka.











18th March (Day 2):

- ❖ Thunderstorm accompanied with gusty winds (speed reaching 30-40 kmph) & lightning at isolated places over Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura; with lightning at isolated places over Odisha, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe and South Interior Karnataka
- **\Delta Heat Wave Conditions** likely at isolated places over north interior Odisha.
- ❖ Hot and Humid Conditions likely at isolated places over coastal Gujarat, Konkan & Goa and North Interior Karnataka.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






19th March (Day 3):


- ❖ Thunderstorm accompanied with gusty winds (speed reaching 40-50 kmph) & lightning very likely at East Madhya Pradesh; Thunderstorm accompanied with gusty winds (speed reaching 30-40 kmph) & lightning very likely at West Madhya Pradesh; with lightning at isolated places over Jharkhand, Odisha, Chhattisgarh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- **Heat Wave Conditions** likely at isolated places over north interior Odisha.

Hot and Humid Conditions likely at isolated places over coastal Gujarat and North Interior Karnataka.











20th March (Day 4):

- ❖ Thunderstorm accompanied with squally winds (speed reaching 50-60 kmph) Hailstorm & lightning likely at isolated places over Gangetic West Bengal; with gusty winds (speed reaching 30 40 kmph) Hailstorm & lightning likely at isolated places over Odisha, Jharkhand and Chhattisgarh; with gusty winds (speed reaching 40 50 kmph) lightning likely at isolated places over East Madhya Pradesh; with gusty winds (speed reaching 30 40 kmph) lightning likely at isolated places over West Madhya Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura; with lightning at isolated places over Vidarbha, Chhattisgarh and Himachal Pradesh
- *** Hot and Humid Conditions** likely at isolated places over coastal Gujarat.

National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







21st March (Day 5):

- ❖ Thunderstorm accompanied with squally winds (speed reaching 50-60 kmph) Hailstorm & lightning likely at isolated places over Odisha; Thunderstorm accompanied with squally winds (speed reaching 40-50 kmph) Hailstorm & lightning likely at isolated places over Gangetic West Bengal; with gusty winds (speed reaching 30 40 kmph) Hailstorm & lightning likely at isolated places over Jharkhand; with gusty winds (speed reaching 40 50 kmph) lightning likely at isolated places over East Madhya Pradesh; with gusty winds (speed reaching 30 40 kmph) lightning likely at isolated places over West Madhya Pradesh; with lightning at isolated places over East Uttar Pradesh Vidarbha, Chhattisgarh and Sub-Himalayan West Bengal & Sikkim.
 - **\Display** Hot and Humid Conditions likely at isolated places over coastal Gujarat.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







22nd March (Day 6):

❖ No Weather Warning.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





23rd March (Day 7):

❖ No Weather Warning.

Weather Outlook for subsequent 3 days (During 24th March- 26th March, 2025)

❖ Isolated to scattered rainfall likely over Jammu & Kashmir, Northeast, East & adjoining Central India, south Peninsular India.


Action may be taken based on **ORANGE** AND **RED** COLOUR warnings.

- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



Fig. 1: Maximum Temperatures

Fig. 2: Departure of Maximum Temperatures






Fig. 3: Minimum Temperatures





Fig. 4: Departure of Minimum Temperatures





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact expected and action suggested due to thunderstorm accompanied with lightning/gusty winds over Northeast India during next 5 days and over east India on 17th and over east & central India on 20th & 21st March 2025

- **❖** Impact expected:
- Strong wind may damage plantation, horticulture and standing crops.
- ❖ Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.
- Action suggested:
- Stay indoors, close windows & doors and avoid travel if possible.
- * Take safe shelters; do not take shelter under trees.
- ❖ Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- ❖ Keep away from all the objects that conduct electricity.

Impact & Action Suggested due to heavy rainfall/ snowfall over Arunachal Pradesh on 17th March

A. Impact Expected

- ✓ Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- ✓ Occasional reduction in visibility due to heavy rainfall.
- ✓ Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- ✓ Minor damage to kutcha roads.
- ✓ Possibilities of damage to vulnerable structure.
- ✓ Localized Landslides/Mudslides
- ✓ Damage to horticulture and standing crops in some areas due to inundation.
- ✓ It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

B. Action Suggested

- ✓ Check for traffic congestion on your route before leaving for your destination.
- ✓ Follow any traffic advisories that are issued in this regard.
- ✓ Avoid going to areas that face the water logging problems often.
- ✓ Avoid staying in vulnerable structure.

Impact expected and action suggested due to

(i) Heat wave to Severe heat wave conditions at isolated pockets over interior Odisha on 17th March and heat wave conditions at isolated pockets during subsequent 2 days.

Orange alert Areas (Odisha on 17th March)

- ✓ High temperature & increased likelihood of heat illness symptoms in people who are either exposed to sun for a prolonged period or doing heavy work.
- ✓ High health concern for vulnerable people e.g. infants, elderly, people with chronic diseases.
- ✓ Avoid heat exposure– keep cool. Avoid dehydration.
- ✓ Drink sufficient water- even if not thirsty.
- ✓ Use ORS, homemade drinks like lassi, torani (rice water), lemon water, buttermilk, etc. to keep



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

yourself hydrated.

Yellow alert Areas

- ✓ Moderate temperature & heat is tolerable for general public but moderate health concern likely for vulnerable people e.g. infants, elderly, people with chronic diseases.
- ✓ Avoid heat exposure.
- ✓ Wear lightweight, light colour, loose, cotton clothes.
- ✓ Cover your head, use a cloth, hat or umbrella.


Agromet advisories for likely impact of Heavy Rainfall / Hailstorm / Heat Wave

- ✓ In **Gangetic West Bengal**, use hail net and hail caps to prevent mechanical damage in orchards due to hailstorms.
- ✓ In **Arunachal Pradesh**, make provision to drain out excess water from standing crop and vegetable fields. Postpone land preparation and sowing of *Jhum* rice and maize.
- ✓ In **Odisha, Jharkhand, Vidarbha**, and **North Telangana**, apply light and frequent irrigation to the standing crops, vegetables and orchards in the evening to protect them from adverse impacts of heat wave.
- ✓ Keep the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields.
- ✓ Provide mechanical support to horticultural crops and staking to vegetables to avoid lodging.
 Livestock and Fishery
- ✓ Keep the animals inside the shed during heavy rainfall/hailstorm and provide them balanced feed.
- ✓ Store feed and fodder in a safe place to prevent spoilage.
- ✓ Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.
- ✓ To reduce the effect of heat wave/high temperature, cover the roof of poultry sheds with grass. Also provide clean, hygienic and plenty of drinking water to animals.





Fig. 5: Accumulated Rainfall (mm) during past 24 hours



30. रायलसीमा

32. तटीय कर्नाटक

35. केरल और माहे

S Dust Raising Winds

36. लक्षद्वीप

33. आतंरिक उत्तरी कर्नाटक

34. आतंरिक दक्षिणी कर्नाटक

31. तमिलनाडु, पुडुचेरी और कराईकल

राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

LEGENDS



- 1. Andaman & Nicobar Islands
- 2. Arunachal Pradesh
- 3. Assam & Meghalaya
- 4. Nagaland, Manipur, Mizoram & Tripura
- 5. Sub-Himalayan West Bengal & Sikkim
- 6. Gangetic West Bengal
- 7. Odisha
- 8. Jharkhand
- 9. Rihar
- 10. East Uttar Pradesh
- 11. West Uttar Pradesh
- 12. Uttarakhand
- 13. Haryana, Chandigarh & Delhi
- 14. Puniab
- 15. Himachal Pradesh
- 16. Jammu & Kashmir and Ladakh
- 17. West Rajasthan
- 18. East Rajasthan
- 19. West Madhya Pradesh
- 20. East Madhya Pradesh
- 21. Gujarat
- 22. Saurashtra
- 23. Konkan & Goa
- 24. Madhya Maharashtra
- 25. Marathwada
- 26. Vidarbha
- 27. Chhattisgarh
- 28. Coastal Andhra Pradesh & Yanam
- 29. Telangana
- 30. Rayalaseema
- 31. Tamilnadu, Puducherry & Karaikal
- 32. Coastal Karnataka
- 33. North Interior Karnataka
- 34. South Interior Karnataka
- 35. Kerala & Mahe

Most Likely

> 75

36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)



Strong Surface Winds





	DEFINITION/CRITERIA
	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions
	(a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
Heat Wave	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
	(b). Based on Actual maximum temperature Heat Wave: When actual maximum temperature ≥45°C.
	Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
Warm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions. (a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Cold Wave	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave: When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	(c) For Coastal Stations When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
Cold Day	Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
Fog	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres
	Very Dense Fog: when the visibility < 50 metres
hunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
	Ice deposits on ground
Frost	Air temperature ≤4°C (over Plains)
	A strong wind that rises suddenly, lasts for atleast 1 minute.
Squall	Moderate: Wind speed 52-61 kmph
	Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph
	Effect of various waves in the sea over specific area
Sea State	Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
	Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
	Cualania Charma Mind and CO 07 Imagh (OA 47 Imagh)
	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
	Very Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots) Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
Cyclone	very severe Cyclonic Storm. Wind speed 116-165 kmph (64 - 69 knots)
Cyclone	Extremely Severe Cyclonic Storm: Wind speed 116-165 kmph (64 - 89 knots)