



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Sunday, March 09, 2025 Time of Issue: 0800 hours IST (MORNING)

## **All India Weather Warning Bulletin**

Weather Warnings for next 7 days is given below: (Graphics for warnings & rainfall distribution (Table 1) are given below the text:

# 09th March (Day 1):

- **Thunderstorm accompanied with lightning** very likely at isolated places over Sub-Himalayan West Bengal.
- **\Display Hot and Humid conditions** very likely at isolated places over Gujarat region, Coastal Karnataka and Kerala & Mahe.
- **Heat Wave Conditions** very likely at isolated places over Konkan & Goa and Saurashtra & Kutch.

## **10th March (Day 2):**

- **♦ Heavy rainfall (≥7 cm)** very likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Himachal Pradesh.
- \* Thunderstorm accompanied with lightning very likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, and Tamil Nadu, Puducherry & Karaikal.
- **Heat Wave Conditions** very likely at isolated places over Konkan & Goa and Gujarat state.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevailing over many parts of southwest Bay of Bengal and along and off Sri Lanka coast, gulf of Mannar and adjoining Comorin area, along and off south Tamil Nadu coast. Fishermen are advised not to venture into these areas.





## 11th March (Day 3):

- ♣ Heavy rainfall (≥7 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.
- ❖ Thunderstorm accompanied with lightning likely at isolated places over Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, South Interior Karnataka and Lakshadweep.
- **Heat Wave Conditions** likely at isolated places over Konkan & Goa and Gujarat state.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevailing over many parts of southwest Bay of Bengal and along and off Sri Lanka coast, gulf of Mannar and adjoining Comorin area, along and off south Tamil Nadu coast. Fishermen are advised not to venture into these areas.

# 12th March (Day 4):

- **Thunderstorm accompanied with lightning** likely at isolated places over Kerala & Mahe, South Interior Karnataka and Lakshadweep.
- **Heat Wave Conditions** likely at isolated places over Gujarat state.
- **\Delta Hot and Humid conditions** likely at isolated places over Konkan & Goa.

## **13th March (Day 5):**

**❖** No Weather Warning.

### **14**<sup>th</sup> March (Day 6):


No Weather Warning.


### **15<sup>th</sup> March (Day 7):**


**❖** No Weather Warning.



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences












#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



- Action may be taken based on **ORANGE** AND **RED** COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Table-1

	7 Day	s Rainfal	I Foreca	st				
C No	Cubalitatelese	09-Mar	10-Mar	11-Mar	12-Mar	13-Mar	14-Mar	15-Mar
S. No.	Subdivision	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	FWS	FWS	SCT	FWS	FWS	FWS
2	ARUNACHAL PRADESH	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
3	ASSAM & MEGHALAYA	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
4	NAGALAND, MANIPUR, MIZORAM & TRIPURA	DRY	DRY	ISOL	ISOL	SCT	SCT	SCT
5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	ISOL	ISOL	ISOL	SCT	SCT	SCT	SCT
6	GANGETIC WEST BENGAL	DRY	DRY	DRY	DRY	DRY	DRY	DRY
7	ODISHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
8	JHARKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9	BIHAR	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	DRY	ISOL	ISOL	ISOL	SCT	SCT	SCT
13	HARYANA CHANDIGARH & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
15	HIMACHAL PRADESH	ISOL	SCT	SCT	SCT	SCT	SCT	SCT
16	JAMMU & KASHMIR AND LADAKH	ISOL	FWS	SCT	SCT	FWS	FWS	FWS
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
21	GUJARAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
25	MARATHAWADA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
26	VIDARBHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
27	CHHATTISGARH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
28	COASTAL ANDHRA PRADESH & YANAM	DRY	DRY	DRY	DRY	DRY	DRY	DRY
29	TELANGANA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
30	RAYALASEEMA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
31	TAMILNADU PUDUCHERRY & KARAIKAL	DRY	ISOL	FWS	SCT	ISOL	ISOL	ISOL
32	COASTAL KARNATAKA	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
33	NORTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
35	KERALA & MAHE	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
36	LAKSHADWEEP	DRY	DRY	FWS	FWS	SCT	SCT	SCT

<sup>•</sup> As the lead period increases forecast accuracy decreases.



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

# Agromet advisories for likely impact of Heavy Rainfall / Heat Wave

- Make provision for draining out excess water from standing crop fields and vegetables in **Jammu & Kashmir**, **Himachal Pradesh**, **Tamil Nadu** and **Kerala**.
- ➤ In **Gujarat** and **Konkan**, apply light and frequent irrigation to the standing crops, vegetables and orchards in the evening to protect them from heat wave.
- ➤ Keep the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields.
- ➤ Provide mechanical support to horticultural crops and staking to vegetables to avoid lodging.

#### Livestock

- ➤ Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- > Store feed and fodder in a safe place to prevent spoilage.
- ➤ To reduce the effect of heat wave/high temperature, cover the roof of poultry sheds with grass.
- Also provide clean, hygienic and plenty of drinking water to animals.

36. लक्षद्वीप

#### राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

36. Lakshadweep

## **LEGENDS**



### **SPATIAL DISTRIBUTION** (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	isolated (ISOL)





	( DEFINITION/CRITERIA )
	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow *	Very Heavy: 115.6 to 204.4 mm/cm*  Extremely Heavy: > 204.4 mm/cm *
	Extremely Heavy: > 204.4 mm/cm "
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions
	(a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
Heat Ways	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C.  Severe Heat Wave: When actual maximum temperature ≥47°C
	( c). Criteria for heat wave for coastal stations
	When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
Warm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions. (a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	( c) For Coastal Stations
	When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
	Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
	Moderate Fog: When the visibility between 500-200 metres
Fog	Dense Fog: when the visibility between 50- 200 metres
	Very Dense Fog: when the visibility < 50 metres
Thunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling
	sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and
	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph
Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph
Frost Squall	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea over specific area  Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre  High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  [Air temperature ≤4°C ( over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea over specific area  [Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.    Comparison of the compa
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.    Comparison of the content
Frost Squall Sea State	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea over specific area  Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre  High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre  Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre  Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)  Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Frost	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.    Comparison of the content