



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Sunday, March 16, 2025 Time of Issue: 0800 hours IST (MORNING)

All India Impact Based Weather Warning Bulletin

Weather Warnings for next 7 days is given below: (Graphics for warnings & rainfall distribution (Table 1) are given below the text:

16th March (Day 1):

- ♣ Heavy rainfall (≥7 cm) likely at isolated places over Uttarakhand and Arunachal Pradesh.
- ❖ Thunderstorm accompanied with gusty winds (speed reaching 40-50 kmph) & lightning very likely at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura; Thunderstorm accompanied with gusty winds (speed reaching 30-40 kmph) & lightning at isolated places over Arunachal Pradesh, Uttar Pradesh; with lightning at isolated places over Kerala & Mahe, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, Uttarakhand, Punjab, Haryana-Chandigarh-Delhi, Rajasthan, Sub-Himalayan West Bengal & Sikkim.
- ❖ Heat Wave to severe heat wave Conditions very likely at isolated places over Odisha; Heat Wave Conditions at isolated places over Gangetic West Bengal, Jharkhand, Vidarbha, Chhattisgarh and Telangana.
- ❖ Warm Night Conditions very likely at isolated places over Odisha.
- ❖ Hot and Humid Conditions very likely at isolated places over Saurashtra & Kutch, Coastal Andhra Pradesh & Yanam and Kerala & Mahe.

17th March (Day 2):

- ❖ Heavy to very heavy rainfall (≥ 12 cm) very likely at isolated places over Arunachal Pradesh and Heavy rainfall (≥7 cm) at isolated places over Assam & Meghalaya.
- ❖ Thunderstorm accompanied with gusty winds (speed reaching 30-40 kmph) & lightning very likely at isolated places over Nagaland, Manipur; with lightning at isolated places over Arunachal Pradesh, Assam & Meghalaya and north Kerala & Mahe.
- ❖ **Heat Wave Conditions** very likely at isolated places over Odisha and Gangetic West Bengal.
- **Warm Night Conditions** likely at isolated places over Odisha.
- **Hot and Humid Conditions** likely at isolated places over Saurashtra & Kutch.





18th March (Day 3):

- **❖ Heavy rainfall (≥7 cm)** likely at isolated places over Arunachal Pradesh.
- ❖ Thunderstorm accompanied with gusty winds (speed reaching 30-40 kmph) & lightning likely at isolated places over Nagaland, Manipur, Mizoram & Tripura; with lightning at isolated places over Arunachal Pradesh, Assam & Meghalaya Tamil Nadu, Puducherry & Karaikal.
- **\Delta Heat Wave Conditions** likely at isolated places over North Interior Karnataka.
- **❖ Hot and Humid Conditions** likely at isolated places over Saurashtra & Kutch.
- **Warm Night Conditions** likely at isolated places over Odisha.

19th March (Day 4):

- **❖ Heavy rainfall (≥7 cm)** likely at isolated places over Arunachal Pradesh.
- ❖ Thunderstorm accompanied with gusty winds (speed reaching 30-40 kmph) & lightning likely at isolated places over Nagaland, Manipur, Mizoram & Tripura; with lightning at isolated places over Arunachal Pradesh, Assam & Meghalaya Tamil Nadu, Puducherry & Karaikal and Odisha.
- **\Delta Heat Wave Conditions** likely at isolated places over North Interior Karnataka.
- **\Display** Hot and Humid Conditions likely at isolated places over Saurashtra & Kutch.

20th March (Day 5):

❖ No Weather Warning.

21th March (Day 6):


❖ No Weather Warning.


22nd March (Day 7):


❖ No Weather Warning.
















National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



- Action may be taken based on ORANGE AND RED COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Table-1

		abie-1						
	7 Days Ra	ainfall I	orecas	it				
S. No.	Subdivision	16- Mar Day 1	17- Mar Day 2	18- Mar Day 3	19- Mar Day 4	20- Mar Day 5	21- Mar Day 6	22- Mar Day 7
1	ANDAMAN & NICOBAR ISLANDS	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
2	ARUNACHAL PRADESH	FWS	WS	WS	FWS	FWS	WS	WS
3	ASSAM & MEGHALAYA	SCT	FWS	FWS	SCT	SCT	SCT	SCT
4	NAGALAND, MANIPUR, MIZORAM & TRIPURA	SCT						
5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	DRY	DRY	DRY	DRY	SCT	SCT	SCT
7	ODISHA	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
8	JHARKHAND	DRY	DRY	DRY	ISOL	ISOL	SCT	SCT
9	BIHAR	DRY	DRY	DRY	DRY	DRY	ISOL	ISOL
10	EAST UTTAR PRADESH	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	FWS	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
13	HARYANA CHANDIGARH & DELHI	SCT	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	SCT	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	SCT	ISOL	DRY	ISOL	ISOL	DRY	DRY
16	JAMMU & KASHMIR AND LADAKH	SCT	DRY	DRY	ISOL	DRY	DRY	DRY
17	WEST RAJASTHAN	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY						
20	EAST MADHYA PRADESH	DRY	DRY	DRY	DRY	ISOL	DRY	DRY
21	GUJARAT REGION	DRY						
22	SAURASHTRA & KUTCH	DRY						
23	KONKAN & GOA	DRY						
24	MADHYA MAHARASHTRA	DRY						
25	MARATHAWADA	DRY	DRY	DRY	DRY	ISOL	ISOL	ISOL
26	VIDARBHA	DRY	DRY	DRY	ISOL	SCT	SCT	SCT
27	CHHATTISGARH	DRY	DRY	DRY	ISOL	SCT	DRY	DRY
28	COASTAL ANDHRA PRADESH & YANAM	DRY	DRY	DRY	DRY	ISOL	ISOL	ISOL
29	TELANGANA	DRY						
30	RAYALASEEMA	DRY						
31	TAMILNADU PUDUCHERRY & KARAIKAL	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
32	COASTAL KARNATAKA	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
33	NORTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	ISOL	ISOL	ISOL
34	SOUTH INTERIOR KARNATAKA	ISOL	DRY	DRY	DRY	ISOL	ISOL	ISOL
35	KERALA & MAHE	SCT						
36	LAKSHADWEEP	SCT						

• As the lead period increases forecast accuracy decreases.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact expected and action suggested due to thunderstorm accompanied with lightning/gusty winds/Hailstorm over Northeast India and Northwest India during next 5 days

- Impact expected:
- Strong wind may damage plantation, horticulture and standing crops.
- ❖ Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.
- **Action suggested:**
- Stay indoors, close windows & doors and avoid travel if possible.
- * Take safe shelters; do not take shelter under trees.
- ❖ Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- ❖ Keep away from all the objects that conduct electricity.

Impact & Action Suggested due to heavy rainfall/ snowfall over;

- (i) Uttarakhand on 16th March.
- (ii) Arunachal Pradesh during 16th-19th March with very heavy rainfall on 17th March and over Assam & Meghalaya on 17th March.

A. Impact Expected

- ❖ Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- ❖ Occasional reduction in visibility due to heavy rainfall.
- ❖ Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides
- ❖ Damage to horticulture and standing crops in some areas due to inundation.
- ❖ It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

B. Action Suggested

- ❖ Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- ❖ Avoid going to areas that face the water logging problems often.
- ❖ Avoid staying in vulnerable structure.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact expected and action suggested due to Heat wave to severe heat wave conditions likely at isolated places over Odisha on 16th; Heat wave to severe heat wave conditions likely at isolated places over Vidarbha, Chhattisgarh, Jharkhand, north Telangana on 16th; Gangetic West Bengal on 16th & 17th; Odisha on 17th & 18th; North Interior Karnataka on 18th & 19th March.

Orange alert Areas (Odisha during 16-18th March)

- High temperature & increased likelihood of heat illness symptoms in people who are either exposed to sun for a prolonged period or doing heavy work.
- ❖ High health concern for vulnerable people e.g. infants, elderly, people with chronic diseases.
- ❖ Avoid heat exposure– keep cool. Avoid dehydration.
- Drink sufficient water- even if not thirsty.
- Use ORS, homemade drinks like lassi, torani (rice water), lemon water, buttermilk, etc. to keep yourself hydrated.

Yellow alert Areas

- ❖ Moderate temperature & heat is tolerable for general public but moderate health concern likely for vulnerable people e.g. infants, elderly, people with chronic diseases.
- ❖ Avoid heat exposure.
- ❖ Wear lightweight, light colour, loose, cotton clothes.
- Cover your head, use a cloth, hat or umbrella.

Agromet advisories for likely impact of Heavy Rainfall / Hailstorm / Heat Wave

- ➤ In Arunachal Pradesh, Nagaland, Manipur, Uttarakhand, Haryana and West Uttar Pradesh, use hail net and hail caps to prevent mechanical damage in orchards due to hailstorms.
- ➤ In Arunachal Pradesh, Jammu & Kashmir, Himachal Pradesh and Uttarakhand, make provision to drain out excess water from standing crop and vegetable fields. Postpone land preparation and sowing of *Jhum* rice and maize in Arunachal Pradesh.
- ➤ In Odisha, Jharkhand, Gangetic West Bengal, Saurashtra & Kutch, Vidarbha, Chhattisgarh and North Telangana, apply light and frequent irrigation to the standing crops, vegetables and orchards in the evening to protect them from adverse impacts of heat wave.
- > Keep the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields.
- > Provide mechanical support to horticultural crops and staking to vegetables to avoid lodging.
- > In the regions of heavy snowfall, shake the fruit-bearing trees to remove snow immediately from the branches.

Livestock and Fishery

- ➤ Keep the animals inside the shed during heavy rainfall/hailstorm and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- > Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.
- > To reduce the effect of heat wave/high temperature, cover the roof of poultry sheds with grass. Also provide clean, hygienic and plenty of drinking water to animals.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Legends & abbreviations:

- **♦ Heavy Rain:**64.5-115.5mm; **Very Heavy Rain:**115.6-204.4mm; **Extremely Heavy Rain:** >204.4mm.
- Obsy.: Observatory; AWS: Automatic Weather Station; ARG: Automatic Rain Gauge; dist.: District: NH: National Highway; KVK: Krishi Vigyan Kendra; DVC: Damodar Valley Corporation; PTO: Part Time Office, Aero: Aerodrome, IAF: Indian Air Force.

Region wise classification of meteorological Sub-Divisions:

- **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- **West India:** Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.
- South India: Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

	DEFINITION/CRITERIA
4	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow *	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *
	Extremely neavy: > 204.4 min/cm
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions (a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C. Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	200 1 Control (100 100 100 100 100 100 100 100 100 10
Manus Nimbs	When maximum temperature remains 40°C Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
Warm Night	Severe Warm Night: When minimum temperature departure >6.4 °C.
	Corona Marin Magnet Villam Marin Composition Co. 1 C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions. (a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
0-1-1-11	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	(c) For Coastal Stations When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
Cold Day	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions Based on departure Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
Cold Day	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Severe cold bay. Maximum remperature beparture from normal 2 -0.0 C
	Phenomenon of small droplets suspended in air and the horizontal visibility of them
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
Fog	Moderate Fog: When the visibility between 500-200 metres
Fog	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50- 200 metres
Fog	Moderate Fog: When the visibility between 500-200 metres
Fog	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50- 200 metres
	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50- 200 metres Very Dense Fog: when the visibility < 50 metres
Thunderstorm Dust/Sand	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Thunderstorm Dust/Sand	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and
Thunderstorm Dust/Sand Storm	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground
Thunderstorm Dust/Sand Storm Frost	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph
Thunderstorm Dust/Sand Storm	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph
Thunderstorm Dust/Sand Storm Frost	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph
Thunderstorm Dust/Sand Storm Frost	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph
Thunderstorm Dust/Sand Storm Frost Squall	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph
Thunderstorm Dust/Sand Storm Frost	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
Thunderstorm Dust/Sand Storm Frost Squall	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Thunderstorm Dust/Sand Storm Frost Squall	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
Thunderstorm Dust/Sand Storm Frost Squall	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 500-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
Thunderstorm Dust/Sand Storm Frost Squall Sea State	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (>63 knots) & Wave height >14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 88-117 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Thunderstorm Dust/Sand Storm Frost Squall	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 500-200 metres Very Dense Fog: when the visibility < 50 metres Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder) An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)