



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Thursday, April 24, 2025 Time of Issue: 0800 hours IST (MORNING)

All India Impact Based Weather Warning Bulletin

Weather Warnings for next 7 days is given below: (Graphics for warnings & rainfall distribution (Table 1) are given below the text:

24th April (Day 1)

- Thunderstorm accompanied with lightning, gusty winds (speed reaching 40 50 kmph gusting to 60 kmph) very likely at isolated places over Nagaland, Manipur, Mizoram & Tripura, Lakshadweep and Andaman & Nicobar Islands; with lightning, gusty winds (speed reaching 30 40 kmph gusting to 50 kmph) at isolated places over Assam & Meghalaya, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema; with lightning at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Sub-Himalayan West Bengal & Sikkim, Arunachal Pradesh, Tamil Nadu, Puducherry & Karaikal, , Coastal Karnataka, South Interior Karnataka.
- **Heavy to very heavy rainfall** very likely at isolated places over Assam & Meghalaya ,Arunachal Pradesh and **heavy rainfall** at isolated places over Nagaland, Manipur, Mizoram & Tripura.
- Heat wave conditions very likely in isolated pockets over Uttar Pradesh, West Rajasthan, Madhya Pradesh, Vidarbha, Chhattisgarh, Gangetic West Bengal, Bihar, Jharkhand, Odisha, Madhya Maharashtra, Marathwada, Telangana.
- ♦ Hot and Humid very likely at isolated places over Gujarat state, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema and Tamil Nadu, Puducherry & Karaikal.
- **Warm Night conditions** very likely at isolated places over Gangetic West Bengal, Bihar, Telangana and Odisha.

25th April (Day 2)

- Thunderstorm accompanied with lightning, gusty winds (speed reaching 40 50 kmph gusting to 60 kmph) very likely at isolated places over North Interior Karnataka Thunderstorm accompanied with lightning & gusty winds (speed reaching 30 40 kmph gusting to 50 kmph) at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema; with lightning at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Sub-Himalayan West Bengal & Sikkim, Arunachal Pradesh, South Interior Karnataka and Coastal Karnataka.
- Heavy rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura.
- Heat wave conditions likely in isolated pockets over Punjab, Haryana-Chandigarh-Delhi, Uttar Pradesh, Rajasthan, Madhya Pradesh, Vidarbha, Chhattisgarh, Gangetic West Bengal, Bihar, Jharkhand, Odisha, Madhya Maharashtra, Marathwada and Telangana.
- Hot and Humid likely at isolated places over Coastal Andhra Pradesh & Yanam, Rayalaseema and Tamil Nadu, Puducherry & Karaikal.
- **Warm Night conditions** likely at isolated places over Gangetic West Bengal, Bihar, Telangana.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

26th April (Day 3)

- Thundersquall accompanied with lightning & gusty winds (speed reaching 50 60 kmph gusting to 70 kmph) likely at isolated places over Bihar; Thunderstorm accompanied with lightning & gusty winds (speed reaching 40 50 kmph gusting to 60 kmph) at isolated places over East Madhya Pradesh, Vidarbha, Chhattisgarh, Sub-Himalayan West Bengal & Sikkim, North Interior Karnataka; with lightning & gusty winds (speed reaching 30 40 kmph gusting to 50 kmph) at isolated places over Himachal Pradesh, Gangetic West Bengal, Jharkhand, Assam & Meghalaya, Coastal Andhra Pradesh & Yanam, Rayalaseema, South Interior Karnataka; with lightning at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura, Kerala & Mahe and Coastal Karnataka.
- Heavy to very heavy rainfall likely at isolated places over Assam & Meghalaya and heavy Rainfall at isolated places over Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura.
- Heat wave conditions likely in isolated pockets over Punjab, Haryana-Chandigarh-Delhi, Uttar Pradesh, Rajasthan, Madhya Pradesh, Vidarbha, Gangetic West Bengal, Bihar, Jharkhand and Odisha.
- Hot and Humid likely at isolated places over Coastal Andhra Pradesh & Yanam, Rayalaseema and Tamil Nadu, Puducherry & Karaikal.

27th April (Day 4)

- Thundersquall accompanied with lightning & gusty winds (speed reaching 50 60 kmph gusting to 70 kmph) likely at isolated places over Bihar, North Interior Karnataka; Thunderstorm accompanied with lightning, Hailstorm & gusty winds (speed reaching 40 50 kmph gusting to 60 kmph) at isolated places over Jharkhand; with lightning & gusty winds (speed reaching 40 50 kmph gusting to 60 kmph) at isolated places over East Uttar Pradesh, East Madhya Pradesh, Vidarbha, Chhattisgarh, Gangetic West Bengal, South Interior Karnataka; with lightning & gusty winds (speed reaching 30 40 kmph gusting to 50 kmph) at isolated places over Sub-Himalayan West Bengal & Sikkim, Odisha, Assam & Meghalaya, Madhya Maharashtra, Coastal Andhra Pradesh & Yanam, Rayalaseema; with lightning at isolated places over Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura, Kerala & Mahe and Coastal Karnataka.
- Heavy Rainfall likely at isolated places over Arunachal Pradesh and Assam & Meghalaya.
- Heat wave conditions likely in isolated pockets over Punjab, Haryana-Chandigarh-Delhi, Rajasthan and Madhya Pradesh.
- **\Delta Hot and Humid** likely at isolated places over Gujarat state.

28th April (Day 5)

- Heat wave conditions likely in isolated pockets over Punjab, Haryana-Chandigarh-Delhi, Rajasthan and west Madhya Pradesh.
- Hot and Humid likely at isolated places over Gujarat state.

29th April (Day 6)


- Heat wave conditions likely in isolated pockets over Punjab, Haryana-Chandigarh-Delhi, Rajasthan and west Madhya Pradesh.
- **❖ Hot and Humid** likely at isolated places over Gujarat state.


30th April (Day 7)


- Heat wave conditions likely in isolated pockets over Punjab, Haryana-Chandigarh-Delhi, Rajasthan and west Madhya Pradesh.
- **♦ Hot and Humid** likely at isolated places over Gujarat state.
















- Action may be taken based on **ORANGE** AND **RED** COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



Table-1

	7 Days Rainfall Forecast							
S. No.	Subdivision	24- Apr Day	25- Apr Day 2	26- Apr Day 3	27- Apr Day 4	28- Apr Day 5	29- Apr Day 6	30- Apr Day 7
1	ANDAMAN & NICOBAR ISLANDS	SCT	SCT	SCT	ISOL	SCT	SCT	SCT
2	ARUNACHAL PRADESH	WS	WS	WS	FWS	FWS	SCT	SCT
3	ASSAM & MEGHALAYA	WS	WS	WS	WS	WS	FWS	FWS
4	NAGALAND, MANIPUR, MIZORAM & TRIPURA	FWS	SCT	SCT	SCT	SCT	SCT	FWS
5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	SCT	SCT	FWS	FWS	FWS	SCT	FWS
6	GANGETIC WEST BENGAL	DRY	DRY	ISOL	FWS	FWS	SCT	FWS
7	ODISHA	ISOL	ISOL	ISOL	SCT	SCT	SCT	FWS
8	JHARKHAND	DRY	DRY	ISOL	SCT	SCT	SCT	FWS
9	BIHAR	DRY	DRY	ISOL	ISOL	ISOL	ISOL	SCT
10	EAST UTTAR PRADESH	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	ISOL	ISOL
12	UTTARAKHAND	ISOL	ISOL	SCT	ISOL	DRY	DRY	DRY
13	HARYANA CHANDIGARH & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
16	JAMMU & KASHMIR AND LADAKH	SCT	ISOL	ISOL	DRY	DRY	DRY	DRY
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	DRY	DRY	DRY	ISOL	ISOL	ISOL	FWS
21	GUJARAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	ISOL	DRY	DRY	ISOL	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
25	MARATHAWADA	DRY	ISOL	ISOL	ISOL	DRY	DRY	DRY
26	VIDARBHA	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
27	CHHATTISGARH	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	FWS
28	COASTAL ANDHRA PRADESH & YANAM	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
29	TELANGANA	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
30	RAYALASEEMA	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
31	TAMILNADU PUDUCHERRY & KARAIKAL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
32	COASTAL KARNATAKA	ISOL	ISOL	ISOL	SCT	SCT	SCT	SCT
33	NORTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
34	SOUTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	SCT	SCT	ISOL	ISOL
35	KERALA & MAHE	SCT	SCT	SCT	SCT	SCT	SCT	SCT
36	LAKSHADWEEP	FWS	SCT	SCT	SCT	SCT	SCT	SCT





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact expected and action suggested due to isolated thunderstorm with lightning/gusty & Squally winds & Hailstorm over

- ✓ Hailstorm over Jharkhand on 27th April.
- ✓ Thundersquall over Bihar on 26th & 27th and over north Interior Karnataka on 27th April.

Impact expected:

- > Breaking of tree branches, uprooting of large avenue trees. Large dead limbs blown from trees. Damage to Standing crops.
- Minor to Major damage to banana and papaya trees.
- Minor to major damage to power and communication lines due to breaking of branches.
- Strong wind/hail may damage plantation, horticulture and standing crops.
- ➤ Hail may injure people and cattle at open places.
- Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- ➤ Loose objects may fly.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Stay indoors, close windows & doors and avoid travel if possible.
- Take safe shelters; do not take shelter under trees.
- > Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- > Immediately get out of water bodies.
- Keep away from all the objects that conduct electricity.

Impact expected and action suggested due to Heat wave conditions over Central India and plains of Northwest India till 29th and East India till 26th April.

Orange alert Areas

- High temperature & increased likelihood of heat illness symptoms in people who are either exposed to sun for a prolonged period or doing heavy work.
- High health concern for vulnerable people e.g. infants, elderly, people with chronic diseases.
- Avoid heat exposure– keep cool. Avoid dehydration.
- Drink sufficient water- even if not thirsty.
- ➤ Use ORS, homemade drinks like lassi, torani (rice water), lemon water, buttermilk, etc. to keep yourself hydrated.

Yellow alert Areas

- Moderate temperature & heat is tolerable for general public but moderate health concern likely for vulnerable people e.g. infants, elderly, people with chronic diseases.
- Avoid heat exposure.
- Wear lightweight, light colour, loose, cotton clothes.
- Cover your head, use a cloth, hat or umbrella.

Impact & Action Suggested due to heavy to very heavy rainfall over Arunachal Pradesh on 24th and Assam & Meghalaya on 24th & 26th April.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides
- Damage to horticulture and standing crops in some areas due to inundation.
- ❖ It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

Action Suggested

- ❖ Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- ❖ Avoid going to areas that face the water logging problems often.
- ❖ Avoid staying in vulnerable structure.

Agromet advisories for likely impact of Heavy Rainfall / Gusty Winds / Heat wave

- > In North Eastern States and Tamilnadu, drain out excess water from standing crop and vegetable fields.
- ➤ In Madhya Pradesh, Chhattisgarh, Vidarbha, Uttar Pradesh, Rajasthan, Haryana, Punjab, Odisha, Bihar, Jharkhand, Gangetic West Bengal, Telangana and Gujarat, apply light and frequent irrigation to standing crops, vegetables and orchards in the evening to protect them from adverse effects of heat waves and high temperatures.
- ➤ Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.
- > Provide mechanical support to horticultural crops and staking to vegetables to avoid lodging.

Livestock / Poultry / Fishery

- ➤ Keep the animals inside the shed during heavy rainfall / hailstorm and provide them balanced feed.
- > Store feed and fodder in a safe place to prevent spoilage.
- > To reduce the effect of heat wave/high temperature, cover the roof of poultry sheds with grass. Also, provide clean, hygienic and plenty of drinking water to animals.
- > Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.



LEGENDS

16

13

33

36

26

29

30

- अंडमान और निकोबार द्वीपसमूह
 अरुणाचल प्रदेश
- 3. असम और मेघालय
- 4. नागालैंड, मणिपुर, मिजोरम और त्रिपुरा

5. उप-हिमालयी पश्चिम बंगाल और सिक्किम

6. गंगीय पश्चिम बंगाल

7. ओडिशा

fears of Service to the Natio राष्ट्र सेवा के 150 वर्ष

- 8. झारखंड
- 9. बिहार
- 10. पूर्वी उत्तर प्रदेश
- 11. पश्चिम उत्तर प्रदेश
- 12. उत्तराखंड
- 13. हरियाणा, चंडीगढ़ और दिल्ली
- 14. पंजाब
- 15. हिमाचल प्रदेश
- 16. जम्मू और कश्मीर और लद्दाख
- 17. पश्चिम राजस्थान
- 18. पूर्वी राजस्थान
- 19. पश्चिम मध्य प्रदेश
- 20. पूर्वी मध्य प्रदेश
- 21. गुजरात
- 22. सौराष्ट्र
- 23. कोंकण और गोवा
- 24. मध्य महाराष्ट्र
- 25. मराठवाडा
- 26. विदर्भ
- 27. छत्तीसगढ़
- 28. तटीय आंध्र प्रदेश और यनम
- 29. तेलंगाना
- 30. रायलसीमा
- 31. तमिलनाडु, पुडुचेरी और कराईकल
- 32. तटीय कर्नाटक
- 33. आतंरिक उत्तरी कर्नाटक
- 34. आतंरिक दक्षिणी कर्नाटक
- 35. केरल और माहे
- 36. लक्षद्वीप

- 1. Andaman & Nicobar Islands
- 2. Arunachal Pradesh
- 3. Assam & Meghalaya
- 4. Nagaland, Manipur, Mizoram & Tripura
- 5. Sub-Himalayan West Bengal & Sikkim
- 6. Gangetic West Bengal
- 7. Odisha
- 8. Jharkhand
- 9. Bihar
- 10. East Uttar Pradesh
- 11. West Uttar Pradesh
- 12. Uttarakhand
- 13. Haryana, Chandigarh & Delhi
- 14. Punjab
- 15. Himachal Pradesh
- 16. Jammu & Kashmir and Ladakh
- 17. West Rajasthan
- 18. East Rajasthan
- 19. West Madhya Pradesh
- 20. East Madhya Pradesh
- 21. Gujarat
- 22. Saurashtra
- 23. Konkan & Goa
- 24. Madhya Maharashtra
- 25. Marathwada
- 26. Vidarbha

1

- 27. Chhattisgarh
- 28. Coastal Andhra Pradesh & Yanam
- 29. Telangana
- 30. Rayalaseema
- 31. Tamilnadu, Puducherry & Karaikal

Probability of Occurrence (%)

- 32. Coastal Karnataka
- 33. North Interior Karnataka
- 34. South Interior Karnataka
- 35. Kerala & Mahe
- 36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)



- Thunder & Lightning
- + Hot Day



	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow *	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm*
tunii Onow	Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions
	(a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C. Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum
	temperature ≥37°C
	When maximum temperature remains 40°C
Warm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C. Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.
	(a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	(c) For Coastal Stations When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
	Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
	Moderate Fog: When the visibility between 500-200 metres
Fog	Dense Fog: when the visibility between 50- 200 metres
	Very Dense Fog: when the visibility < 50 metres
hunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
	Ice deposits on ground
Frost	Air temperature ≤4°C (over Plains)
	A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph
Squall	Severe: Wind speed 62-87 kmph
-4	Very Severe: Wind speed >87 kmph
	Effect of various waves in the sea over specific area
Sea State	Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Cou Clate	High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
	Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Cyclone	Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
	Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots) Super Cyclone Strom: Wind speed >220 kmph (>119 knots)
	Super Cyclone Strom, Willy Speed -220 Killoli (-119 Kilots)

*Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit https://mausam.imd.gov.in or contact: 011-2434-4599
(Service to the Nation since 1875)

Hot and Humid: When maximum temperatures remains 3°C above normal along with the above normal relative humidity.