

Wednesday, April 30, 2025
Time of Issue: 0800 hours IST
(MORNING)

All India Impact Based Weather Warning Bulletin

Weather Warnings for next 7 days is given below:

(Graphics for warnings & rainfall distribution (Table 1) are given below the text:

30th April (Day 1)

- ❖ **Thunderstorms with gusty winds(40-50kmph)** likely at isolated places over Uttarakhand, Uttar Pradesh, Jharkhand, Odisha, Telangana, North Interior Karnataka.
- ❖ **Thunderstorms with gusty winds(30-40kmph)** likely at isolated places over Haryana-Chandigarh-Delhi, Vidarbha, Chhattisgarh, West Bengal & Sikkim, Bihar, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Rayalaseema, South Interior Karnataka.
- ❖ **Thunderstorm & Lightning** likely at isolated places over Arunachal Pradesh, Coastal Karnataka.
- ❖ **Heavy Rain** very likely at isolated places over Odisha, Assam & Meghalaya.
- ❖ **Hot and Humid** very likely at isolated places over Madhya Maharashtra, Marathwada, coastal areas of Gujarat State, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema.
- ❖ **Heat Wave** very likely at a few places over West Rajasthan; at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, East Rajasthan, Saurashtra & Kutch.
- ❖ **Dust Storm** very likely at isolated places over Uttar Pradesh.

01st May (Day 2)

- ❖ **Thundersquall with wind speed reaching 50-60kmph** likely at isolated places over Punjab, Haryana-Chandigarh-Delhi, East Madhya Pradesh, Bihar.
- ❖ **Thunderstorms with gusty winds(40-50kmph)** likely at isolated places over Himachal Pradesh, Uttarakhand, Uttar Pradesh, Rajasthan, West Madhya Pradesh, Chhattisgarh, Gangetic West Bengal, Jharkhand, Odisha, North Interior Karnataka, Coastal Andhra Pradesh & Yanam.
- ❖ **Thunderstorms with gusty winds(30-40kmph)** likely at isolated places over Vidarbha, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Rayalaseema, South Interior Karnataka.
- ❖ **Thunderstorm & Lightning** likely at isolated places over Arunachal Pradesh, Kerala & Mahe, Coastal Karnataka.
- ❖ **Hot and Humid** likely at isolated places over Madhya Maharashtra, Marathwada, coastal area of Gujarat State, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema.
- ❖ **Heat Wave** very likely at isolated places over West Rajasthan.
- ❖ **Dust Storm** likely at isolated places over Punjab, Rajasthan.
- ❖ **Heavy Rain** likely at isolated places over Odisha.

02nd May (Day 3)

- ❖ **Thundersquall with wind speed reaching 50-60kmph** likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Rajasthan, East Madhya Pradesh, Chhattisgarh, Bihar, North Interior Karnataka.
- ❖ **Thunderstorms with gusty winds(40-50kmph)** likely at isolated places over Himachal Pradesh, Uttarakhand, East Uttar Pradesh, West Madhya Pradesh, Vidarbha, Jharkhand, Odisha, Nagaland, Manipur, Mizoram & Tripura, Coastal Andhra Pradesh & Yanam, South Interior Karnataka.
- ❖ **Thunderstorms with gusty winds(30-40kmph)** likely at isolated places over Punjab, Haryana-Chandigarh-Delhi, West Uttar Pradesh, Gangetic West Bengal, Assam & Meghalaya, Rayalaseema, Coastal Karnataka.
- ❖ **Thunderstorm & Lightning** likely at isolated places over Kerala & Mahe.
- ❖ **Dust Storm** likely at isolated places over Rajasthan.

03rd May (Day 4)

- ❖ **Thundersquall with wind speed reaching 50-60kmph** likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Rajasthan, East Madhya Pradesh, Chhattisgarh, North Interior Karnataka.
- ❖ **Thunderstorms with gusty winds(40-50kmph)** likely at isolated places over Himachal Pradesh, Uttarakhand, Uttar Pradesh, West Madhya Pradesh, Vidarbha, Bihar, Nagaland, Manipur, Mizoram & Tripura, Coastal Andhra Pradesh & Yanam and South Interior Karnataka.
- ❖ **Thunderstorms with gusty winds(30-40kmph)** likely at isolated places over Punjab, Haryana-Chandigarh-Delhi, Jharkhand, Odisha, Assam & Meghalaya, Rayalaseema,
- ❖ **Thunderstorm & Lightning** likely at isolated places over Coastal Karnataka.
- ❖ **Dust Storm** likely at isolated places over Rajasthan.

04th May (Day 5)




- ❖ **Thunderstorms with gusty winds(40-50kmph)** likely at isolated places over Uttar Pradesh, Rajasthan.
- ❖ **Thunderstorms with gusty winds(30-40kmph)** likely at isolated places over Himachal Pradesh, Uttarakhand, Punjab, Haryana-Chandigarh-Delhi.





05th May (Day 6)

- ❖ **Thunderstorms with gusty winds(40-50kmph)** likely at isolated places over East Uttar Pradesh, Rajasthan.
- ❖ **Thunderstorms with gusty winds(30-40kmph)** likely at isolated places over Himachal Pradesh, Uttarakhand, Punjab, Haryana-Chandigarh-Delhi, West Uttar Pradesh.

06th May (Day 7)

- ❖ **Thunderstorms with gusty winds(40-50kmph)** likely at isolated places over East Uttar Pradesh, Rajasthan.
- ❖ **Thunderstorms with gusty winds(30-40kmph)** likely at isolated places over Himachal Pradesh, Uttarakhand, Punjab, Haryana-Chandigarh-Delhi, Northwest Uttar Pradesh.





- Action may be taken based on **ORANGE AND RED** COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.

Table-1

7 Days Rainfall Forecast

S. No.	Subdivision	30-Apr	01-May	02-May	03-May	04-May	05-May	06-May
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	SCT	SCT	ISOL	SCT	SCT
2	ARUNACHAL PRADESH	SCT	SCT	SCT	FWS	FWS	FWS	FWS
3	ASSAM & MEGHALAYA	SCT	SCT	SCT	FWS	FWS	FWS	FWS
4	NAGALAND, MANIPUR, MIZORAM & TRIPURA	FWS	SCT	FWS	FWS	FWS	FWS	FWS
5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	FWS	SCT	FWS	SCT	FWS	FWS	FWS
6	GANGETIC WEST BENGAL	SCT	FWS	ISOL	SCT	SCT	SCT	SCT
7	ODISHA	FWS	FWS	FWS	FWS	ISOL	ISOL	ISOL
8	JHARKHAND	FWS	FWS	SCT	ISOL	ISOL	ISOL	ISOL
9	BIHAR	ISOL	SCT	SCT	ISOL	ISOL	ISOL	ISOL
10	EAST UTTAR PRADESH	ISOL	SCT	SCT	SCT	ISOL	ISOL	ISOL
11	WEST UTTAR PRADESH	ISOL	ISOL	SCT	SCT	SCT	ISOL	ISOL
12	UTTARAKHAND	ISOL	SCT	SCT	FWS	FWS	FWS	FWS
13	HARYANA CHANDIGARH & DELHI	ISOL	SCT	ISOL	SCT	SCT	ISOL	ISOL
14	PUNJAB	DRY	SCT	ISOL	SCT	SCT	ISOL	ISOL
15	HIMACHAL PRADESH	DRY	SCT	SCT	FWS	FWS	SCT	SCT
16	JAMMU & KASHMIR AND LADAKH	DRY	ISOL	SCT	FWS	SCT	ISOL	ISOL
17	WEST RAJASTHAN	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
18	EAST RAJASTHAN	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
19	WEST MADHYA PRADESH	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
20	EAST MADHYA PRADESH	ISOL						
21	GUJARAT REGION	DRY						
22	SAURASHTRA & KUTCH	DRY						
23	KONKAN & GOA	DRY						
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
25	MARATHAWADA	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
26	VIDARBHA	ISOL						
27	CHHATTISGARH	ISOL	SCT	SCT	ISOL	ISOL	ISOL	ISOL
28	COASTAL ANDHRA PRADESH & YANAM	ISOL	ISOL	ISOL	SCT	ISOL	ISOL	ISOL
29	TELANGANA	ISOL	ISOL	ISOL	SCT	ISOL	ISOL	ISOL
30	RAYALASEEMA	ISOL	ISOL	ISOL	SCT	ISOL	ISOL	ISOL
31	TAMILNADU PUDUCHERRY & KARAIKAL	ISOL	ISOL	ISOL	ISOL	SCT	SCT	SCT
32	COASTAL KARNATAKA	ISOL	ISOL	SCT	ISOL	ISOL	ISOL	ISOL
33	NORTH INTERIOR KARNATAKA	ISOL						
34	SOUTH INTERIOR KARNATAKA	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
35	KERALA & MAHE	SCT	SCT	SCT	SCT	SCT	FWS	FWS
36	LAKSHADWEEP	DRY	DRY	SCT	SCT	SCT	SCT	SCT

• As the lead period increases forecast accuracy decreases.

Impact expected and action suggested due to isolated thunderstorm with lightning/gusty & Squally winds & Hailstorm over

- ✓ **Thundersquall (wind speed reaching 50-60 kmph)** likely over North Interior Karnataka, India on 01st & 02nd May; Punjab, Haryana Chandigarh & Delhi on 01st May; Rajasthan on 02nd & 03rd May; Jammu-Kashmir during 02nd-04th May and Bihar on 01st & 02nd May.

Impact expected:

- Breaking of tree branches, uprooting of large avenue trees. Large dead limbs blown from trees. Damage to Standing crops.
- Minor to Major damage to banana and papaya trees.
- Minor to major damage to power and communication lines due to breaking of branches.
- Strong wind/hail may damage plantation, horticulture and standing crops.
- Hail may injure people and cattle at open places.
- Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Stay indoors, close windows & doors and avoid travel if possible.
- Take safe shelters; do not take shelter under trees.
- Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- Keep away from all the objects that conduct electricity.

Impact expected and action suggested due to Heat wave conditions over Jammu-Kashmir, Himachal Pradesh, East Rajasthan, Saurashtra & Kutch on 30th April; West Rajasthan during 30th April-01st May April.

Yellow alert Areas

- Moderate temperature & heat is tolerable for general public but moderate health concern likely for vulnerable people e.g. infants, elderly, people with chronic diseases.
- Avoid heat exposure.
- Wear lightweight, light colour, loose, cotton clothes.
- Cover your head, use a cloth, hat or umbrella.

Agromet advisories for likely impact of Hailstorm / Heavy Rainfall / Gusty Winds / Heat wave


- In **North Eastern States** and **Odisha**, make provision to drain out excess water from standing crop and vegetable fields.
- In **Gangetic West Bengal, Odisha, Jharkhand, Vidarbha** and **Chhattisgarh**, use hail net and hail caps to prevent mechanical damage in vegetables and orchards due to the possibility of hailstorms.
- To protect standing crops, vegetables and orchards from adverse effects of heat waves and high temperatures, apply light and frequent irrigation in the evening.
- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.
- Provide mechanical support to horticultural crops and staking to vegetables to avoid lodging.

Livestock / Poultry / Fishery

- Keep the animals inside the shed during heavy rainfall / hailstorm and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- To reduce the effect of heat wave/high temperature, cover the roof of poultry sheds with grass. Also, provide clean, hygienic and plenty of drinking water to animals.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

LEGENDS

1. अंडमान और निकोबार द्वीपसमूह
2. अरुणाचल प्रदेश
3. असम और मेघालय
4. नागालैंड, मणिपुर, मिजोरम और त्रिपुरा
5. उप-हिमालयी पश्चिम बंगाल और सिक्किम
6. गंगीय पश्चिम बंगाल
7. ओडिशा
8. झारखंड
9. बिहार
10. पूर्वी उत्तर प्रदेश
11. पश्चिम उत्तर प्रदेश
12. उत्तराखंड
13. हरियाणा, चंडीगढ़ और दिल्ली
14. पंजाब
15. हिमाचल प्रदेश
16. जम्मू और कश्मीर और लद्दाख
17. पश्चिम राजस्थान
18. पूर्वी राजस्थान
19. पश्चिम मध्य प्रदेश
20. पूर्वी मध्य प्रदेश
21. गुजरात
22. सौराष्ट्र
23. कोंकण और गोवा
24. मध्य महाराष्ट्र
25. मराठवाड़ा
26. विदर्भ
27. छत्तीसगढ़
28. तटीय आंध्र प्रदेश और यनम
29. तेलंगाना
30. रायलसीमा
31. तमिलनाडु, पुडुचेरी और कराईकल
32. तटीय कर्नाटक
33. आंतरिक उत्तरी कर्नाटक
34. आंतरिक दक्षिणी कर्नाटक
35. केरल और माहे
36. लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Odisha
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chandigarh & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajasthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathwada
26. Vidarbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)

- | | | |
|----------------------|----------------------|--------------|
| Fog | Heavy Snow | Cold Wave |
| Heavy Rain | Dust Storm | Cold Day |
| Very Heavy Rain | Heat Wave | Ground Frost |
| Extremely Heavy Rain | Warm Night | |
| Thunder & Lightning | Hot Day | |
| Hailstorm | Hot & Humid | |
| Dust Raising Winds | Strong Surface Winds | |

COLOUR CODED WARNING

No Warning (No Action)
Watch (Be Aware)
Alert (Be Prepared To Take Action)
Warning (Take Action)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

DEFINITION/CRITERIA

Rain/ Snow *

Heavy: 64.5 to 115.5 mm/cm *
 Very Heavy: 115.6 to 204.4 mm/cm*
 Extremely Heavy: > 204.4 mm/cm *

Heat Wave

When maximum temperature of a station reaches $\geq 40^\circ\text{C}$ for plains and $\geq 30^\circ\text{C}$ for hilly regions

(a) Based on Departure from normal

Heat Wave: Maximum Temperature Departure from normal 4.5°C to 6.4°C .

Severe Heat Wave: Maximum Temperature Departure from normal $\geq 6.5^\circ\text{C}$

(b). Based on Actual maximum temperature

Heat Wave: When actual maximum temperature $\geq 45^\circ\text{C}$.

Severe Heat Wave: When actual maximum temperature $\geq 47^\circ\text{C}$

(c). Criteria for heat wave for coastal stations

When maximum temperature departure is $>4.5^\circ\text{C}$ from normal. Heat Wave may be described provided maximum temperature $\geq 37^\circ\text{C}$

Warm Night

When maximum temperature remains 40°C

Warm Night: When minimum temperature departure 4.5°C to 6.4°C .

Severe Warm Night: When minimum temperature departure $>6.4^\circ\text{C}$.

Cold Wave

When minimum temperature of a station $\leq 10^\circ\text{C}$ for plains and $\leq 0^\circ\text{C}$ for hilly regions.

(a). Based on departure

Cold Wave: Minimum Temperature Departure from normal -4.5°C to -6.4°C .

Severe Cold Wave: Minimum Temperature Departure from normal $\leq -6.5^\circ\text{C}$

(b) Based on actual Minimum Temperature (for Plains only)

Cold Wave : When Minimum Temperature is $\leq 4.0^\circ\text{C}$

Severe Cold Wave: When Minimum Temperature is $\leq 2.0^\circ\text{C}$

(c) For Coastal Stations

When Minimum Temperature departure is $\leq -4.5^\circ\text{C}$ & actual Minimum Temperature is $\leq 15^\circ\text{C}$

Cold Day

When minimum temperature of a station $\leq 10^\circ\text{C}$ for plains and $\leq 0^\circ\text{C}$ for hilly regions

Based on departure

Cold Day: Maximum Temperature Departure from normal -4.5°C to -6.4°C .

Severe Cold Day: Maximum Temperature Departure from normal $\leq -6.5^\circ\text{C}$

Fog

Phenomenon of small droplets suspended in air and the horizontal visibility $< 1\text{km}$

Moderate Fog: When the visibility between 500-200 metres

Dense Fog: when the visibility between 50- 200 metres

Very Dense Fog: when the visibility < 50 metres

Thunderstorm

Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)

Dust/Sand Storm

An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.

Frost

Ice deposits on ground

Air temperature $\leq 4^\circ\text{C}$ (over Plains)

Squall

A strong wind that rises suddenly, lasts for atleast 1 minute.

Moderate: Wind speed 52-61 kmph

Severe: Wind speed 62-87 kmph

Very Severe: Wind speed >87 kmph

Sea State

Effect of various waves in the sea over specific area

Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre

High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre

Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre

Cyclone

Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)

Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)

Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)

Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)

Super Cyclone Storm: Wind speed >220 kmph (>119 knots)

* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".
 Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
 For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599
 (Service to the Nation since 1875)

Hot and Humid: When maximum temperatures remains 3°C above normal along with the above normal relative humidity.