



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Tuesday, April 29, 2025 Time of Issue: 2015 hours IST (NIGHT)

All India Impact Based Weather Warning Bulletin

Weather Warnings for next 7 days is given below: (Graphics for warnings & rainfall distribution (Table 1) are given below the text:

29th April (Day 1)

- **❖ Thundersquall with wind speed reaching 50-60kmph** very likely at isolated places over Vidarbha, Chhattisgarh, Gangetic West Bengal, Jharkhand.
- ❖ Thunderstorms with gusty winds(40-50kmph) very likely at isolated places over Uttarakhand, East Uttar Pradesh, Sub-Himalayan West Bengal & Sikkim, Bihar, Assam & Meghalaya, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema, North Interior Karnataka
- ❖ Thunderstorms with gusty winds(40-50kmph) very likely at isolated places over Himachal Pradesh Nagaland, Manipur, Mizoram & Tripura, Tamil Nadu, Puducherry & Karaikal, South Interior Karnataka.
- **Thunderstorm & Lightning** very likely at isolated places over Arunachal Pradesh, Coastal Karnataka.
- ❖ Hailstorm very likely at isolated places over Gangetic West Bengal, Jharkhand, Odisha, Vidarbha, Chhattisgarh.
- **Heavy Rain** very likely at isolated places over Odisha, Arunachal Pradesh, Assam & Meghalaya.
- ❖ Hot and Humid very likely at isolated places over coastal areas of Gujarat State, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema.
- ❖ Heat Wave to severe heat wave very likely at isolated places over Saurashtra & Kutch; Heat Wave at a few places over West Rajasthan; at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, East Rajasthan.
- **Dust Storm** very likely at isolated places over East Uttar Pradesh.

30th April (Day 2)

*

- ❖ Thunderstorms with gusty winds(40-50kmph) likely at isolated places over Uttarakhand, Uttar Pradesh, Jharkhand, Odisha, Telangana, North Interior Karnataka.
- Thunderstorms with gusty winds(30-40kmph) likely at isolated places over Haryana-Chandigarh-Delhi, Vidarbha, Chhattisgarh, West Bengal & Sikkim, Bihar, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Rayalaseema, South Interior Karnataka.
- ❖ Thunderstorm & Lightning likely at isolated places over Arunachal Pradesh, Coastal Karnataka.
- **Heavy Rain** very likely at isolated places over Odisha, Assam & Meghalaya.
- Hot and Humid very likely at isolated places over Madhya Maharashtra, Marathwada, coastal areas of Gujarat State, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema.
- ❖ Heat Wave very likely at a few places over West Rajasthan; at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, East Rajasthan, Saurashtra & Kutch.
- **❖ Dust Storm** very likely at isolated places over Uttar Pradesh.



01st May (Day 3)

- Thundersquall with wind speed reaching 50-60kmph likely at isolated places over Punjab, Haryana-Chandigarh-Delhi, East Madhya Pradesh, Bihar.
- ❖ Thunderstorms with gusty winds(40-50kmph) likely at isolated places over Himachal Pradesh, Uttarakhand, Uttar Pradesh, Rajasthan, West Madhya Pradesh, Chhattisgarh, Gangetic West Bengal, Jharkhand, Odisha, North Interior Karnataka, Coastal Andhra Pradesh & Yanam.
- Thunderstorms with gusty winds(30-40kmph) likely at isolated places over Vidarbha, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Rayalaseema, South Interior Karnataka.
- ❖ Thunderstorm & Lightning likely at isolated places over Arunachal Pradesh, Kerala & Mahe, Coastal Karnataka.
- ❖ Hot and Humid likely at isolated places over Madhya Maharashtra, Marathwada, coastal area of Gujarat State, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema.
- **\Delta Heat Wave** very likely at isolated places over West Rajasthan.
- **Dust Storm** likely at isolated places over Punjab, Rajasthan.
- **\(\text{Heavy Rain} \)** likely at isolated places over Odisha.

02nd May (Day 4)

- * Thundersquall with wind speed reaching 50-60kmph likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Rajasthan, East Madhya Pradesh, Chhattisgarh, Bihar, North Interior Karnataka.
- Thunderstorms with gusty winds(40-50kmph) likely at isolated places over Himachal Pradesh, Uttarakhand, East Uttar Pradesh, West Madhya Pradesh, Vidarbha, Jharkhand, Odisha, Nagaland, Manipur, Mizoram & Tripura, Coastal Andhra Pradesh & Yanam, South Interior Karnataka.
- Thunderstorms with gusty winds(30-40kmph) likely at isolated places over Punjab, Haryana-Chandigarh-Delhi, West Uttar Pradesh, Gangetic West Bengal, Assam & Meghalaya, Rayalaseema, Coastal Karnataka.
- **Thunderstorm & Lightning** likely at isolated places over Kerala & Mahe.
- **❖ Dust Storm** likely at isolated places over Rajasthan.

03rd May (Day 5)

- **❖ Thundersquall with wind speed reaching 50-60kmph** likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Rajasthan, East Madhya Pradesh, Chhattisgarh, North Interior Karnataka.
- Thunderstorms with gusty winds(40-50kmph) likely at isolated places over Himachal Pradesh, Uttarakhand, Uttar Pradesh, West Madhya Pradesh, Vidarbha, Bihar, Nagaland, Manipur, Mizoram & Tripura, Coastal Andhra Pradesh & Yanam and South Interior Karnataka.
- Thunderstorms with gusty winds(30-40kmph) likely at isolated places over Punjab, Haryana-Chandigarh-Delhi, Jharkhand, Odisha, Assam & Meghalaya, Rayalaseema,
- **Thunderstorm & Lightning** likely at isolated places over Coastal Karnataka.
- **❖ Dust Storm** likely at isolated places over Rajasthan.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

04th May (Day 6)


- **❖ Thunderstorms with gusty winds(40-50kmph)** likely at isolated places over Uttar Pradesh, Rajasthan.
- **❖ Thunderstorms with gusty winds(30-40kmph)** likely at isolated places over Himachal Pradesh, Uttarakhand, Punjab, Haryana-Chandigarh-Delhi.


05th May (Day 7)


- **❖ Thunderstorms with gusty winds(40-50kmph)** likely at isolated places over East Uttar Pradesh, Rajasthan.
- **♦ Thunderstorms with gusty winds(30-40kmph)** likely at isolated places over Himachal Pradesh, Uttarakhand, Punjab, Haryana-Chandigarh-Delhi, West Uttar Pradesh.
















National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



- Action may be taken based on **ORANGE** AND **RED** COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



Table-1

	7 Days Rainfall Forecast							
	/ Days No	ı		T			_	_
		29-	30-	01-	02-	03-	04-	05- May
S. No.	Subdivision	Apr Day	Apr Day	May	May	May	May	May
1101		1	2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	FWS	SCT	SCT	ISOL	SCT
2	ARUNACHAL PRADESH	WS	SCT	SCT	SCT	FWS	FWS	FWS
3	ASSAM & MEGHALAYA	WS	SCT	SCT	SCT	FWS	FWS	FWS
4	NAGALAND, MANIPUR, MIZORAM & TRIPURA	FWS	FWS	SCT	FWS	FWS	FWS	FWS
5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	WS	FWS	SCT	FWS	SCT	FWS	FWS
6	GANGETIC WEST BENGAL	FWS	SCT	FWS	ISOL	SCT	SCT	SCT
7	ODISHA	ISOL	FWS	FWS	FWS	FWS	ISOL	ISOL
8	JHARKHAND	FWS	FWS	FWS	SCT	ISOL	ISOL	ISOL
9	BIHAR	ISOL	ISOL	SCT	SCT	ISOL	ISOL	ISOL
10	EAST UTTAR PRADESH	ISOL	ISOL	SCT	SCT	SCT	ISOL	ISOL
11	WEST UTTAR PRADESH	DRY	ISOL	ISOL	SCT	SCT	SCT	ISOL
12	UTTARAKHAND	ISOL	ISOL	SCT	SCT	FWS	FWS	FWS
13	HARYANA CHANDIGARH & DELHI	DRY	ISOL	SCT	ISOL	SCT	SCT	ISOL
14	PUNJAB	DRY	DRY	SCT	ISOL	SCT	SCT	ISOL
15	HIMACHAL PRADESH	ISOL	DRY	SCT	SCT	FWS	FWS	SCT
16	JAMMU & KASHMIR AND LADAKH	DRY	DRY	ISOL	SCT	FWS	SCT	ISOL
17	WEST RAJASTHAN	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
18	EAST RAJASTHAN	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
19	WEST MADHYA PRADESH	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
20	EAST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
21	GUJARAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	DRY	ISOL	ISOL	ISOL
25	MARATHAWADA	ISOL	DRY	DRY	ISOL	ISOL	ISOL	ISOL
26	VIDARBHA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
27	CHHATTISGARH	ISOL	ISOL	SCT	SCT	ISOL	ISOL	ISOL
28	COASTAL ANDHRA PRADESH & YANAM	ISOL	ISOL	ISOL	ISOL	SCT	ISOL	ISOL
29	TELANGANA	ISOL	ISOL	ISOL	ISOL	SCT	ISOL	ISOL
30	RAYALASEEMA	ISOL	ISOL	ISOL	ISOL	SCT	ISOL	ISOL
31	TAMILNADU PUDUCHERRY & KARAIKAL	ISOL	ISOL	ISOL	ISOL	ISOL	SCT	SCT
32	COASTAL KARNATAKA	ISOL	ISOL	ISOL	SCT	ISOL	ISOL	ISOL
33	NORTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
34	SOUTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	SCT	SCT	SCT	SCT
35	KERALA & MAHE	FWS	SCT	SCT	SCT	SCT	SCT	FWS
36	LAKSHADWEEP	SCT	DRY	DRY	SCT	SCT	SCT	SCT





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact expected and action suggested due to isolated thunderstorm with lightning/gusty & Squally winds & Hailstorm over

- ✓ **Isolated hailstorm** activity likely over Vidarbha, Chhattisgarh, Gangetic West Bengal, Jharkhand, Odisha on 29th April.
- ✓ **Thundersquall (wind speed reaching 50-60 kmph)** likely over North Interior Karnataka, India on 01st & 02nd May; Punjab, Haryana Chandigarh & Delhi on 01st May; Rajasthan on 02nd & 03rd May; Jammu-Kashmir during 02nd-04th May; Vidarbha, Chhattisgarh, Gangetic West Bengal, Jharkhand, Odisha on 29th April and Bihar on 01st & 02nd May.

Impact expected:

- > Breaking of tree branches, uprooting of large avenue trees. Large dead limbs blown from trees. Damage to Standing crops.
- ➤ Minor to Major damage to banana and papaya trees.
- ➤ Minor to major damage to power and communication lines due to breaking of branches.
- Strong wind/hail may damage plantation, horticulture and standing crops.
- ➤ Hail may injure people and cattle at open places.
- ➤ Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- > Stay indoors, close windows & doors and avoid travel if possible.
- > Take safe shelters; do not take shelter under trees.
- ➤ Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- Keep away from all the objects that conduct electricity.

Impact expected and action suggested due to Heat wave conditions over Jammu-Kashmir, Himachal Pradesh, East Rajasthan, Saurashtra & Kutch on 29th & 30th April; West Rajasthan during 29th April-01st May April.

Yellow alert Areas

- Moderate temperature & heat is tolerable for general public but moderate health concern likely for vulnerable people e.g. infants, elderly, people with chronic diseases.
- > Avoid heat exposure.
- Wear lightweight, light colour, loose, cotton clothes.
- Cover your head, use a cloth, hat or umbrella.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Agromet advisories for likely impact of Hailstorm / Heavy Rainfall / Gusty Winds / Heat wave

- ➤ In **North Eastern States** and **Odisha**, make provision to drain out excess water from standing crop and vegetable fields.
- ➤ In Gangetic West Bengal, Odisha, Jharkhand, Vidarbha and Chhattisgarh, use hail net and hail caps to prevent mechanical damage in vegetables and orchards due to the possibility of hailstorms.
- > To protect standing crops, vegetables and orchards from adverse effects of heat waves and high temperatures, apply light and frequent irrigation in the evening.
- > Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.
- > Provide mechanical support to horticultural crops and staking to vegetables to avoid lodging.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Years of Service to the Nati राष्ट्र सेवा से 150 वर्ष

36. लक्षद्वीप

LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

36. Lakshadweep

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)





	DEFINITION/CRITERIA
	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow *	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions (a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C.
	Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
Varm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C. Severe Warm Night: When minimum temperature departure >6.4 °C.
	Severe Warm Night. Writen minimum temperature departure >0.4 C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.
	(a). Based on departure Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	(c) For Coastal Stations
	When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
Cold Day	Based on departure Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phonomenon of small develop account of the basic and the basic arterior bline of the
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km Moderate Fog: When the visibility between 500-200 metres
Fog	Dense Fog: when the visibility between 50- 200 metres
-53	Very Dense Fog: when the visibility < 50 metres
hunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
	Ice deposits on ground
Frost	Air temperature ≤4°C (over Plains)
	A strong wind that rises suddenly, lasts for atleast 1 minute.
	Moderate: Wind speed 52-61 kmph
Squall	Severe: Wind speed 62-87 kmph
	Very Severe: Wind speed >87 kmph
	Effect of various waves in the sea over specific area
Sea State	Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
	Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
	Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Cyclone	Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
	Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)
	Super Cyclone Strom: Wind speed >220 kmph (>119 knots)

*Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit https://mausam.imd.gov.in or contact: 011-2434-4599

(Service to the Nation since 1875)

Hot and Humid: When maximum temperatures remains 3°C above normal along with the above normal relative humidity.