



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Wednesday, May 14, 2025 Time of Issue: 2000 hours IST (NIGHT)

# All India Impact Based Weather Warning Bulletin

Weather Warnings for next 7 days is given below:

(Graphics for warnings & rainfall distribution (Table 1) are given below the text:

14th May (Day 1)

- \* Heavy to Very Heavy Rainfall with Extremely Heavy Rainfall very likely at isolated places over Assam & Meghalaya.
- Heavy to Very Heavy Rainfall very likely at isolated places over Arunachal Pradesh and Sub Himalayan West Bengal & Sikkim.
- \* Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Costal Karnataka, Interior Karnataka, Coastal Andhra Pradesh & Yanam, Kerala and Mahe, Nagaland, Manipur, Mizoram and Tripura and Tamilnadu & Puducherry.
- **Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Chhattisgarh, Interior Karnataka, Madhya Maharashtra, Odisha and Telangana.
- \* Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andhra Pradesh, Assam & Meghalaya, Gujarat, Kerala and Mahe, Konkan & Goa, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Tamilnadu & Puducherry, Vidarbha, West Bengal & Sikkim and West Madhya Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds (30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Costal Karnataka, East Madhya Pradesh, Haryana, Chandigarh & Delhi and Jharkhand.
- **Thunderstorm accompanied with Hailstorm** very likely at isolated places over Telangana.
- \* Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Lakshadweep and Rajasthan.
- The tand Humid weather very likely at isolated places over Bihar, Coastal Andhra Pradesh, Gangetic West Bengal, Jharkhand, Odisha and Tamilnadu & Puducherry.
- ❖ Warm Night very likely at isolated places over East Madhya Pradesh.
- ♦ Squally wind with speed 45 kmph to 50 kmph gusting to 55 kmph likely to prevail along and off Somalia coast, over Gulf of Mannar & adjoining Comorin area, along and off south Sri Lanka coast & adjoining southwest Bay of Bengal. Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph prevailing off Karnataka, north Kerala coasts and adjoining Lakshadweep area, over Andaman Sea & adjoining parts of southeast Bay of Bengal. Fishermen are advised not to venture into these areas.

#### 15th May (Day 2)

- **Heavy to Very Heavy Rainfall** very likely at isolated places over Assam & Meghalaya.
- **Heavy Rain** very likely at isolated places over Andaman & Nicobar Islands, Arunachal Pradesh, Coastal Andhra Pradesh, Interior Karnataka, Madhya Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Sub Himalayan West Bengal & Sikkim and Tamilnadu & Puducherry.
- \* Thundersquall with wind speed reaching (50-60kmph) very likely at isolated places over Chhattisgarh, Gangetic West Bengal, Madhya Maharashtra and Telangana.
- ♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andhra Pradesh, Assam & Meghalaya, Interior Karnataka, Kerala and Mahe, Konkan & Goa, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Odisha, Tamilnadu & Puducherry, Vidarbha and West Madhya Pradesh
- \* Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Bihar, East Madhya Pradesh, Gujarat, Jharkhand and Sub Himalayan West Bengal & Sikkim.
- \* Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Costal Karnataka and Uttarakhand.
- **❖ Heat Wave conditions** very likely at isolated places over East Uttar Pradesh and West Rajasthan.
- Hot and Humid weather very likely at isolated places over Coastal Andhra Pradesh, Gangetic West Bengal, Jharkhand, Odisha and Tamilnadu & Puducherry.
- **Warm Night** very likely at isolated places over East Madhya Pradesh.
- **Squally wind with speed 45 kmph to 50 kmph gusting to 55 kmph** likely to prevail along and off Somalia coast, over Gulf of Mannar & adjoining Comorin area, along and off south Sri Lanka coast & adjoining southwest Bay of Bengal. **Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph** prevailing over Andaman Sea & adjoining parts of southeast Bay of Bengal. Fishermen are advised not to venture into these areas.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

#### 16th May (Day 3)

- Heavy to Very Heavy Rainfall very likely at isolated places over Assam & Meghalaya.
- **Heavy Rain** very likely at isolated places over Arunachal Pradesh, North Interior Karnataka, Rayalaseema, Sub Himalayan West Bengal & Sikkim and Tamilnadu & Puducherry.
- **Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Telangana.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andhra Pradesh, Bihar, Chhattisgarh, Gangetic West Bengal, Interior Karnataka, Jharkhand, Konkan & Goa, Maharashtra, Odisha, Tamilnadu & Puducherry and West Madhya Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Assam & Meghalaya, East Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura and Sub Himalayan West Bengal & Sikkim.
- **Thunderstorm accompanied with Lightning** very likely at isolated places over Arunachal Pradesh, Costal Karnataka, Haryana, Chandigarh & Delhi, Punjab and Uttarakhand.
- **Heat Wave conditions** very likely at isolated places over Uttar Pradesh and West Rajasthan.
- **Hot and Humid weather** very likely at isolated places over Bihar and Odisha.
- ❖ Squally wind with speed 45 kmph to 50 kmph gusting to 55 kmph likely to prevail along and off Somalia coast, over Gulf of Mannar & adjoining Comorin area, along and off south Sri Lanka coast & adjoining southwest Bay of Bengal. Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph prevailing over Andaman Sea & adjoining parts of southeast Bay of Bengal. Fishermen are advised not to venture into these areas.

#### 17th May (Day 4)

- ❖ Heavy Rain likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, North Interior Karnataka and Sub Himalayan West Bengal & Sikkim.
- **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andhra Pradesh, Bihar, Chhattisgarh, East Rajasthan, Jharkhand, Konkan & Goa, Madhya Maharashtra, Marathwada, Odisha, South Interior Karnataka, Tamilnadu & Puducherry, Telangana and West Bengal & Sikkim.
- **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Assam & Meghalaya, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka and Vidarbha.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Arunachal Pradesh, Costal Karnataka, East Uttar Pradesh and Uttarakhand.
- **Heat Wave conditions** likely at isolated places over Uttar Pradesh and West Rajasthan.
- **Hot and Humid weather** likely at isolated places over Bihar.
- ❖ Squally wind with speed 45 kmph to 50 kmph gusting to 55 kmph likely to prevail along and off Somalia coast, along and off Oman coast, over Gulf of Mannar & adjoining Comorin area, along and off south Sri Lanka coast & adjoining southwest Bay of Bengal. Fishermen are advised not to venture into these areas.



# 18<sup>th</sup> May (Day 5)

- ❖ Heavy Rain likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Interior Karnataka, Kerala and Mahe and Rayalaseema.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Andhra Pradesh, Chhattisgarh, East Rajasthan, Haryana, Chandigarh & Delhi, Jharkhand, Kerala and Mahe, Madhya Maharashtra, Odisha, Punjab, South Interior Karnataka and Tamilnadu & Puducherry.
- **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Assam & Meghalaya, Gangetic West Bengal, Jammu and Kashmir and Ladakh, Madhya Pradesh, North Interior Karnataka, Telangana and Vidarbha.
- **❖ Thunderstorm accompanied with Lightning** likely at isolated places over Arunachal Pradesh, Costal Karnataka and East Uttar Pradesh.
- **Heat Wave conditions** likely at isolated places over West Uttar Pradesh.
- **\Display** Hot and Humid weather likely at isolated places over Bihar.
- ❖ Squally wind with speed 45 kmph to 50 kmph gusting to 55 kmph likely to prevail along and off Oman coast, over Gulf of Mannar & adjoining Comorin area. Fishermen are advised not to venture into these areas.

## 19th May (Day 6)


- ❖ **Heavy Rainfall** likely at isolated places over Kerala and Mahe.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Haryana, Chandigarh & Delhi and Punjab.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over East Uttar Pradesh, Himachal Pradesh, Jammu and Kashmir and Ladakh and Uttarakhand.


#### 20th May (Day 7)


- **Heavy Rainfall** likely at isolated places over Kerala and Mahe.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Haryana, Chandigarh & Delhi.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Punjab.
- **Thunderstorm accompanied with Lightning** likely at isolated places over Himachal Pradesh and Uttarakhand.
















#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



- Action may be taken based on **ORANGE** AND **RED** COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



# National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

# Table-1

7 Days Rainfall Forecast										
S. No.	Subdivision	14-May 15-May		16-May	17-May	18-May	19-May	20-May		
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7		
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	WS	FWS	FWS	FWS		
2	ARUNACHAL PRADESH	WS	WS	FWS	FWS	FWS	FWS	WS		
3	ASSAM & MEGHALAYA	WS	WS	FWS	FWS	FWS	WS	WS		
4	NAGALAND, MANIPUR, MIZORAM & TRIPURA	WS	WS	FWS	FWS	FWS	FWS	FWS		
5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	WS	WS	FWS	WS	WS	WS	WS		
6	GANGETIC WEST BENGAL	ISOL	FWS	SCT	FWS	FWS	SCT	SCT		
7	ODISHA	ISOL	SCT	ISOL	SCT	ISOL	ISOL	ISOL		
8	JHARKHAND	ISOL	ISOL	ISOL	SCT	SCT	FWS	FWS		
9	BIHAR	ISOL	ISOL	ISOL	SCT	SCT	SCT	SCT		
10	EAST UTTAR PRADESH	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL		
11	WEST UTTAR PRADESH	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL		
12	UTTARAKHAND	ISOL	ISOL	ISOL	SCT	ISOL	SCT	SCT		
13	HARYANA CHANDIGARH & DELHI	ISOL	DRY	ISOL	ISOL	ISOL	ISOL	ISOL		
14	PUNJAB	ISOL	DRY	ISOL	ISOL	ISOL	ISOL	ISOL		
15	HIMACHAL PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	SCT	SCT		
16	JAMMU & KASHMIR AND LADAKH	ISOL	ISOL	ISOL	ISOL	SCT	ISOL	ISOL		
17	WEST RAJASTHAN	ISOL	DRY	DRY	DRY	DRY	DRY	DRY		
18	EAST RAJASTHAN	ISOL	ISOL	DRY	ISOL	ISOL	ISOL	ISOL		
19	WEST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL		
20	EAST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL		
21	GUJARAT REGION	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY		
22	SAURASHTRA & KUTCH	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY		
23	KONKAN & GOA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL		
24	MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL		
25	MARATHAWADA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL		
26	VIDARBHA	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL		
27	CHHATTISGARH	SCT	SCT	ISOL	ISOL	ISOL	ISOL	ISOL		
28	COASTAL ANDHRA PRADESH & YANAM	SCT	FWS	SCT	SCT	SCT	SCT	ISOL		
29	TELANGANA	FWS	FWS	FWS	FWS	FWS	FWS	FWS		
30	RAYALASEEMA	SCT	FWS	FWS	FWS	FWS	SCT	SCT		
31	TAMILNADU PUDUCHERRY & KARAIKAL	SCT	SCT	SCT	SCT	SCT	SCT	SCT		
32	COASTAL KARNATAKA	WS	WS	WS	WS	WS	WS	FWS		
33	NORTH INTERIOR KARNATAKA	WS	WS	FWS	FWS	WS	WS	WS		
34	SOUTH INTERIOR KARNATAKA	WS	WS	WS	WS	WS	WS	WS		
35	KERALA & MAHE	FWS	SCT	SCT	SCT	FWS	FWS	FWS		
36	LAKSHADWEEP	FWS	SCT	SCT	SCT	FWS	FWS	FWS		

• As the lead period increases forecast accuracy decreases.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

#### Impact & Action Suggested due to very heavy rainfall over

- ❖ Very heavy rainfall over Arunachal Pradesh, Sub-Himalayan West Bengal & Sikkim on 14th, Assam & Meghalaya on 15th & 16th; May.
- **Extremely heavy rainfall** at isolated places over Meghalaya on 14th May.

#### **Impact Expected**

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides
- ❖ Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

#### **Action Suggested**

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- ❖ Avoid going to areas that face the water logging problems often.
- ❖ Avoid staying in vulnerable structure.

# Impact expected and action suggested due to isolated thunderstorm with lightning/gusty & Squally winds & Hailstorm over

- ✓ Thundersquall wind speed reaching 50-60 kmph gusting to 70 kmph likely over Gangetic West Bengal on 15<sup>th</sup>, Odisha, Interior Karnataka on 14<sup>th</sup>; Chhattisgarh, Madhya Maharashtra on 14<sup>th</sup> & 15<sup>th</sup> May. Telangana during 14<sup>th</sup>-16<sup>th</sup> May
- ✓ **Hailstorm** also likely at isolated places over Telangana on 14<sup>th</sup> May.

#### Impact expected:

- > Breaking of tree branches, uprooting of large avenue trees. Large dead limbs blown from trees. Damage to Standing crops.
- Minor to Major damage to banana and papaya trees.
- Minor to major damage to power and communication lines due to breaking of branches.
- > Strong wind/hail may damage plantation, horticulture and standing crops.
- ➤ Hail may injure people and cattle at open places.
- Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.

#### Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Stay indoors, close windows & doors and avoid travel if possible.
- > Take safe shelters; do not take shelter under trees.
- Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- ➤ Keep away from all the objects that conduct electricity.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

**Impact expected and action suggested due to Heat wave conditions over** in isolated pockets of West Uttar Pradesh during 14th-18th; East Uttar Pradesh, West Rajasthan during 15th-17th May.

#### **Yellow alert Areas**

- Moderate temperature & heat is tolerable for general public but moderate health concern likely for vulnerable people e.g. infants, elderly, people with chronic diseases.
- Avoid heat exposure.
- Wear lightweight, light colour, loose, cotton clothes.
- Cover your head, use a cloth, hat or umbrella.

#### Agromet advisories for likely impact of Heavy Rainfall / Gusty Winds / Heat Wave

- In North Eastern States, Andaman & Nicobar Islands, Sub Himalayan West Bengal & Sikkim, Madhya Maharashtra, Tamil Nadu, Kerala, Karnataka and Andhra Pradesh, make provision to drain out excess water from standing crop and vegetable fields.
- > In **Telangana**, use hail nets and hail caps to prevent mechanical damage in vegetables and orchards due to the possibility of hailstorms.
- > Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.
- Provide mechanical support to horticultural crops and staking to vegetables to avoid lodging.
- ➤ To protect standing crops, vegetables and orchards from the adverse effects of heat waves and high temperatures, apply light and frequent irrigation in the evening.

#### Livestock / Poultry / Fishery

- ➤ Keep the animals inside the shed during heavy rainfall / hailstorm and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- > Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.
- > To reduce the effect of heat wave/high temperature, cover the roof of poultry sheds with grass. Also, provide clean, hygienic and plenty of drinking water to animals.



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Years of Service to the Nati राष्ट्र सेवा से 150 वर्ष

36. लक्षद्वीप

# LEGENDS



## **SPATIAL DISTRIBUTION** (% of Stations reporting)

36. Lakshadweep

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)





	DEFINITION/CRITERIA
	<b>Heavy:</b> 64.5 to 115.5 mm/cm *
Rain/ Snow *	Very Heavy: 115.6 to 204.4 mm/cm*  Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions (a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C.
	Severe Heat Wave: When actual maximum temperature ≥47°C
	( c). Criteria for heat wave for coastal stations  When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
Varm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.
	(a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Cold Wave	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C  Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	( c) For Coastal Stations
	When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
0-1-1-0	Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
Fog	Moderate Fog: When the visibility between 500-200 metres  Dense Fog: when the visibility between 50-200 metres
	Very Dense Fog: when the visibility < 50 metres
	Sudden alcetrical disaborace manifested by a flesh of light /lightning) and a shorp numbling
nunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
	Ice deposits on ground
Frost	Air temperature ≤4°C ( over Plains)
	A strong wind that rises suddenly, lasts for atleast 1 minute.  Moderate: Wind speed 52-61 kmph
Squall	Severe: Wind speed 62-87 kmph
	Very Severe: Wind speed >87 kmph
	Effect of various waves in the sea over specific area
Son State	Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Sea State	High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre  Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
	Thenomena. Third speed > 117 kinph (>00 kilots) a wave neight > 14 mette
	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
0	Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Cyclone	Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)  Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)
	Super Cyclone Strom: Wind speed >220 kmph (>119 knots)

\*Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit https://mausam.imd.gov.in or contact: 011-2434-4599

(Service to the Nation since 1875)

**Hot and Humid:** When maximum temperatures remains 3°C above normal along with the above normal relative humidity.